

## BREWLOX DIAGNOSTIC DUMP

Sun Jan 26 17:21:17 CET 2020

slowresponce

=====VARS=====

Linux brygserver 4.15.0-20-generic #21-Ubuntu SMP Tue Apr 24 06:16:15 UTC 2018 x86\_64 x86\_64 x86\_64 GNU/Linux

Docker version 19.03.5, build 633a0ea838

docker-compose version 1.25.0, build b42d419

BREWLOX\_RELEASE=edge

BREWLOX\_CFG\_VERSION=0.3.0

BREWLOX\_PORT\_HTTP=80

BREWLOX\_PORT\_HTTPS=443

BREWLOX\_PORT\_MDNS=5000

=====LOGS=====

Attaching to brewblox\_spark-one\_1

spark-one\_1 | 2020-01-26T16:11:02.832654028Z 2020/01/26 16:11:02 INFO

brewblox\_service.service Creating [spark-one] application

spark-one\_1 | 2020-01-26T16:11:02.832701481Z 2020/01/26 16:11:02 INFO

\_\_main\_\_ INI: firmware\_version='2b8fe934', firmware\_date='2020-01-17 14:59:26 +0100', proto\_version='de9133d', proto\_date='2019-11-08 15:25:32 +0100', system\_version='1.4.4'

spark-one\_1 | 2020-01-26T16:11:02.832709664Z 2020/01/26 16:11:02 INFO

\_\_main\_\_ CONFIG: host='0.0.0.0', port='5000', output='None', name='spark-one', debug='False', eventbus\_host='eventbus', eventbus\_port='5672', simulation='False', device\_host='192.168.10.151', device\_port='8332', device\_serial='None', device\_id='None', discovery='all', list\_devices='False', broadcast\_exchange='brewcast', broadcast\_interval='5', sync\_exchange='syncast', mdns\_host='172.17.0.1', mdns\_port='5000', volatile='False', skip\_version\_check='False'

spark-one\_1 | 2020-01-26T16:11:02.994130463Z 2020/01/26 16:11:02 INFO

brewblox\_service.service Service info: 0.5.2-256-g320b0f0 @ Mon Jan 20 11:23:20 UTC 2020

spark-one\_1 | 2020-01-26T16:11:02.995839974Z 2020/01/26 16:11:02 INFO

brewblox\_service.events Closing &lt;EventListener for "eventbus"&gt;

spark-one\_1 | 2020-01-26T16:11:02.997366562Z 2020/01/26 16:11:02

INFO ...ox\_devcon\_spark.api.sse\_api Starting SSEPublisher

spark-one\_1 | 2020-01-26T16:11:03.006121564Z 2020/01/26 16:11:03

INFO ...\_devcon\_spark.communication Connected &lt;SparkConduit for 192.168.10.151:8332&gt;

spark-one\_1 | 2020-01-26T16:11:03.011121235Z 2020/01/26 16:11:03

INFO ...blox\_devcon\_spark.commander HandshakeMessage(name='BREWLOX', firmware\_version='2b8fe934', proto\_version='de9133d', firmware\_date='2020-01-17', proto\_date='2019-11-08', system\_version='1.4.4', platform='pl', reset\_reason\_hex='28', reset\_data\_hex='00', device\_id='2E0046001951353530333932', reset\_reason='POWER\_DOWN')

spark-one\_1 | 2020-01-26T16:11:12.090543667Z 2020/01/26 16:11:12

INFO ...blox\_service.couchdb\_client &lt;CouchDBClient for http://datastore:5984&gt; Waiting for datastore...

spark-one\_1 | 2020-01-26T16:11:22.112560520Z 2020/01/26 16:11:22

INFO ...blox\_service.couchdb\_client &lt;CouchDBClient for http://datastore:5984&gt; Waiting for datastore...

spark-one\_1 | 2020-01-26T16:11:23.165630961Z 2020/01/26 16:11:23

INFO ...blox\_service.couchdb\_client &lt;CouchDBClient for http://datastore:5984&gt; Existing document found (2e0046001951353530333932-blocks-db)

spark-one\_1 | 2020-01-26T16:11:23.166064378Z 2020/01/26 16:11:23

INFO ...blox\_service.couchdb\_client &lt;CouchDBClient for http://datastore:5984&gt; Existing document found (2e0046001951353530333932-config-db)

spark-one\_1 | 2020-01-26T16:11:23.190776653Z 2020/01/26 16:11:23

INFO ...blox\_devcon\_spark.datastore &lt;CouchDBBlockStore for spark-service/2e0046001951353530333932-blocks-db&gt; Read 55 blocks. Rev = 4-a2d470834c2a8d4be498ab8ea547b1fd

spark-one\_1 | 2020-01-26T16:11:23.200660666Z 2020/01/26 16:11:23

INFO ...blox\_devcon\_spark.datastore &lt;CouchDBConfig for spark-service/2e0046001951353530333932-config-db&gt; Read 1 setting(s). Rev = 2-cca2f702b879bd0a61e6b592e2b365a4

spark-one\_1 | 2020-01-26T16:11:23.352788553Z 2020/01/26 16:11:23 INFO

brewblox\_devcon\_spark.seeder Service synchronized!

spark-one\_1 | 2020-01-26T16:11:28.235745563Z 2020/01/26 16:11:28

INFO ...blox\_devcon\_spark.datastore &lt;CouchDBBlockStore for spark-service/2e0046001951353530333932-blocks-db&gt; Saved 55 block(s). Rev = 5-dbc1142fd271374ec65cd2e62107e4cc

spark-one\_1 | 2020-01-26T16:11:29.008712012Z 2020/01/26 16:11:29 WARNING

aioamqp.protocol only PLAIN login\_method is supported, falling back to AMQPPLAIN

Attaching to brewblox\_mdns\_1

```
mdns_1 | 2020-01-26T16:11:01.841486138Z 2020/01/26 16:11:01 INFO
brewblox_service.service Creating [mdns] application
mdns_1 | 2020-01-26T16:11:01.866325832Z 2020/01/26 16:11:01 INFO
brewblox_service.service Service info: 0.2.1-39-g1c5f0cc @ Tue Dec 17 14:05:18 UTC 2019
```

Attaching to brewblox\_eventbus\_1

```
eventbus_1 | 2020-01-26T16:11:11.911829058Z 2020-01-26 16:11:11.911 [info] <0.8.0> Feature flags: list
of feature flags found:
eventbus_1 | 2020-01-26T16:11:11.911876748Z 2020-01-26 16:11:11.911 [info] <0.8.0> Feature flags: [ ]
implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:11.911922553Z 2020-01-26 16:11:11.911 [info] <0.8.0> Feature flags: [ ]
quorum_queue
eventbus_1 | 2020-01-26T16:11:11.911953441Z 2020-01-26 16:11:11.911 [info] <0.8.0> Feature flags: [ ]
virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:11.912039368Z 2020-01-26 16:11:11.911 [info] <0.8.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:11.978652997Z 2020-01-26 16:11:11.978 [info] <0.258.0> ra: meta data
store initialised. 0 record(s) recovered
eventbus_1 | 2020-01-26T16:11:11.978978729Z 2020-01-26 16:11:11.978 [info] <0.263.0> WAL: recovering [ ]
eventbus_1 | 2020-01-26T16:11:11.979661567Z 2020-01-26 16:11:11.979 [info] <0.267.0>
eventbus_1 | 2020-01-26T16:11:11.979670796Z Starting RabbitMQ 3.8.2 on Erlang 22.2.3
eventbus_1 | 2020-01-26T16:11:11.979673317Z Copyright (c) 2007-2019 Pivotal Software, Inc.
eventbus_1 | 2020-01-26T16:11:11.979675579Z Licensed under the MPL 1.1. Website: https://rabbitmq.com
eventbus_1 | 2020-01-26T16:11:11.979952342Z
eventbus_1 | 2020-01-26T16:11:11.979958843Z ## ## RabbitMQ 3.8.2
eventbus_1 | 2020-01-26T16:11:11.979961399Z ## ##
eventbus_1 | 2020-01-26T16:11:11.979963633Z ##### Copyright (c) 2007-2019 Pivotal Software, Inc.
eventbus_1 | 2020-01-26T16:11:11.979966068Z ##### ##
eventbus_1 | 2020-01-26T16:11:11.979968259Z ##### Licensed under the MPL 1.1. Website: https://
rabbitmq.com
eventbus_1 | 2020-01-26T16:11:11.979970568Z
eventbus_1 | 2020-01-26T16:11:11.979972676Z Doc guides: https://rabbitmq.com/documentation.html
eventbus_1 | 2020-01-26T16:11:11.979974941Z Support: https://rabbitmq.com/contact.html
eventbus_1 | 2020-01-26T16:11:11.979977104Z Tutorials: https://rabbitmq.com/getstarted.html
eventbus_1 | 2020-01-26T16:11:11.979979278Z Monitoring: https://rabbitmq.com/monitoring.html
eventbus_1 | 2020-01-26T16:11:11.979981458Z
eventbus_1 | 2020-01-26T16:11:11.979983524Z Logs: <stdout>
eventbus_1 | 2020-01-26T16:11:11.979985920Z
eventbus_1 | 2020-01-26T16:11:11.979988053Z Config file(s): /etc/rabbitmq/rabbitmq.conf
eventbus_1 | 2020-01-26T16:11:11.979990351Z
eventbus_1 | 2020-01-26T16:11:11.980445152Z Starting broker...2020-01-26 16:11:11.980 [info]
<0.267.0>
eventbus_1 | 2020-01-26T16:11:11.980452691Z node : rabbit@6114dbcac6d2
eventbus_1 | 2020-01-26T16:11:11.980455122Z home dir : /var/lib/rabbitmq
eventbus_1 | 2020-01-26T16:11:11.980458926Z config file(s) : /etc/rabbitmq/rabbitmq.conf
eventbus_1 | 2020-01-26T16:11:11.980461251Z cookie hash : c9g7ZD1r/JgrUS2Y+h0UDQ==
eventbus_1 | 2020-01-26T16:11:11.980463504Z log(s) : <stdout>
eventbus_1 | 2020-01-26T16:11:11.980465762Z database dir : /var/lib/rabbitmq/mnesia/
rabbit@6114dbcac6d2
eventbus_1 | 2020-01-26T16:11:11.987684729Z 2020-01-26 16:11:11.987 [info] <0.267.0> Running boot step
pre_boot defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.987710659Z 2020-01-26 16:11:11.987 [info] <0.267.0> Running boot step
rabbit_core_metrics defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.987963475Z 2020-01-26 16:11:11.987 [info] <0.267.0> Running boot step
rabbit_alarm defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.989731133Z 2020-01-26 16:11:11.989 [info] <0.273.0> Memory high
watermark set to 3154 MiB (3307485593 bytes) of 7885 MiB (8268713984 bytes) total
eventbus_1 | 2020-01-26T16:11:11.991501442Z 2020-01-26 16:11:11.991 [info] <0.275.0> Enabling free disk
space monitoring
eventbus_1 | 2020-01-26T16:11:11.991532314Z 2020-01-26 16:11:11.991 [info] <0.275.0> Disk free limit
set to 50MB
eventbus_1 | 2020-01-26T16:11:11.992949430Z 2020-01-26 16:11:11.992 [info] <0.267.0> Running boot step
code_server_cache defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.993016680Z 2020-01-26 16:11:11.992 [info] <0.267.0> Running boot step
file_handle_cache defined by app rabbit
```

```
eventbus_1 | 2020-01-26T16:11:11.993330625Z 2020-01-26 16:11:11.993 [info] <0.278.0> Limiting to approx
1048479 file handles (943629 sockets)
eventbus_1 | 2020-01-26T16:11:11.993394561Z 2020-01-26 16:11:11.993 [info] <0.279.0> FHC read
buffering: OFF
eventbus_1 | 2020-01-26T16:11:11.993415058Z 2020-01-26 16:11:11.993 [info] <0.279.0> FHC write
buffering: ON
eventbus_1 | 2020-01-26T16:11:11.993690138Z 2020-01-26 16:11:11.993 [info] <0.267.0> Running boot step
worker_pool defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.993743779Z 2020-01-26 16:11:11.993 [info] <0.268.0> Will use 4
processes for default worker pool
eventbus_1 | 2020-01-26T16:11:11.993767038Z 2020-01-26 16:11:11.993 [info] <0.268.0> Starting worker
pool 'worker_pool' with 4 processes in it
eventbus_1 | 2020-01-26T16:11:11.994035391Z 2020-01-26 16:11:11.993 [info] <0.267.0> Running boot step
database defined by app rabbit
eventbus_1 | 2020-01-26T16:11:11.994206113Z 2020-01-26 16:11:11.994 [info] <0.267.0> Node database
directory at /var/lib/rabbitmq/mnesia/rabbit@6114dbcac6d2 is empty. Assuming we need to join an existing
cluster or initialise from scratch...
eventbus_1 | 2020-01-26T16:11:11.994236782Z 2020-01-26 16:11:11.994 [info] <0.267.0> Configured peer
discovery backend: rabbit_peer_discovery_classic_config
eventbus_1 | 2020-01-26T16:11:11.994261671Z 2020-01-26 16:11:11.994 [info] <0.267.0> Will try to lock
with peer discovery backend rabbit_peer_discovery_classic_config
eventbus_1 | 2020-01-26T16:11:11.994319953Z 2020-01-26 16:11:11.994 [info] <0.267.0> Peer discovery
backend does not support locking, falling back to randomized delay
eventbus_1 | 2020-01-26T16:11:11.994357354Z 2020-01-26 16:11:11.994 [info] <0.267.0> Peer discovery
backend rabbit_peer_discovery_classic_config does not support registration, skipping randomized startup
delay.
eventbus_1 | 2020-01-26T16:11:11.994386620Z 2020-01-26 16:11:11.994 [info] <0.267.0> All discovered
existing cluster peers:
eventbus_1 | 2020-01-26T16:11:11.994428656Z 2020-01-26 16:11:11.994 [info] <0.267.0> Discovered no peer
nodes to cluster with. Some discovery backends can filter nodes out based on a readiness criteria.
Enabling debug logging might help troubleshoot.
eventbus_1 | 2020-01-26T16:11:11.996019573Z 2020-01-26 16:11:11.995 [info] <0.43.0> Application mnesia
exited with reason: stopped
eventbus_1 | 2020-01-26T16:11:12.502178955Z 2020-01-26 16:11:12.502 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:12.538171190Z 2020-01-26 16:11:12.538 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:12.538222515Z 2020-01-26 16:11:12.538 [info] <0.267.0> Feature flag
`implicit_default_bindings`: supported, attempt to enable...
eventbus_1 | 2020-01-26T16:11:12.538727659Z 2020-01-26 16:11:12.538 [info] <0.267.0> Feature flag
`implicit_default_bindings`: mark as enabled=state_changing
eventbus_1 | 2020-01-26T16:11:12.546209851Z 2020-01-26 16:11:12.545 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.546234831Z 2020-01-26 16:11:12.546 [info] <0.267.0> Feature flags:
[~] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.546299580Z 2020-01-26 16:11:12.546 [info] <0.267.0> Feature flags:
[ ] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.546349923Z 2020-01-26 16:11:12.546 [info] <0.267.0> Feature flags:
[ ] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.546515376Z 2020-01-26 16:11:12.546 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.557467349Z 2020-01-26 16:11:12.557 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 0 retries left
eventbus_1 | 2020-01-26T16:11:12.557554085Z 2020-01-26 16:11:12.557 [info] <0.267.0> Feature flag
`implicit_default_bindings`: mark as enabled=true
eventbus_1 | 2020-01-26T16:11:12.564027349Z 2020-01-26 16:11:12.563 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.564042656Z 2020-01-26 16:11:12.563 [info] <0.267.0> Feature flags:
[x] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.564082314Z 2020-01-26 16:11:12.563 [info] <0.267.0> Feature flags:
[ ] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.564092871Z 2020-01-26 16:11:12.563 [info] <0.267.0> Feature flags:
[ ] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.564097135Z 2020-01-26 16:11:12.564 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.572385527Z 2020-01-26 16:11:12.572 [info] <0.267.0> Feature flag
`quorum_queue`: supported, attempt to enable...
```

```
eventbus_1 | 2020-01-26T16:11:12.572470866Z 2020-01-26 16:11:12.572 [info] <0.267.0> Feature flag
`quorum_queue`: mark as enabled=state_changing
eventbus_1 | 2020-01-26T16:11:12.579137266Z 2020-01-26 16:11:12.578 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.579167698Z 2020-01-26 16:11:12.579 [info] <0.267.0> Feature flags:
[x] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.579188642Z 2020-01-26 16:11:12.579 [info] <0.267.0> Feature flags:
[~] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.579237837Z 2020-01-26 16:11:12.579 [info] <0.267.0> Feature flags:
[ ] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.579322593Z 2020-01-26 16:11:12.579 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.589123333Z 2020-01-26 16:11:12.588 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:12.589208550Z 2020-01-26 16:11:12.589 [info] <0.267.0> Feature flag
`quorum_queue`: migrating Mnesia table rabbit_queue...
eventbus_1 | 2020-01-26T16:11:12.680928585Z 2020-01-26 16:11:12.680 [info] <0.267.0> Feature flag
`quorum_queue`: migrating Mnesia table rabbit_durable_queue...
eventbus_1 | 2020-01-26T16:11:12.796484670Z 2020-01-26 16:11:12.796 [info] <0.267.0> Feature flag
`quorum_queue`: Mnesia tables migration done
eventbus_1 | 2020-01-26T16:11:12.796525227Z 2020-01-26 16:11:12.796 [info] <0.267.0> Feature flag
`quorum_queue`: mark as enabled=true
eventbus_1 | 2020-01-26T16:11:12.807804544Z 2020-01-26 16:11:12.807 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.807832446Z 2020-01-26 16:11:12.807 [info] <0.267.0> Feature flags:
[x] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.807837838Z 2020-01-26 16:11:12.807 [info] <0.267.0> Feature flags:
[x] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.807853761Z 2020-01-26 16:11:12.807 [info] <0.267.0> Feature flags:
[ ] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.807958294Z 2020-01-26 16:11:12.807 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.818924358Z 2020-01-26 16:11:12.818 [info] <0.267.0> Feature flag
`virtual_host_metadata`: supported, attempt to enable...
eventbus_1 | 2020-01-26T16:11:12.818974326Z 2020-01-26 16:11:12.818 [info] <0.267.0> Feature flag
`virtual_host_metadata`: mark as enabled=state_changing
eventbus_1 | 2020-01-26T16:11:12.825064733Z 2020-01-26 16:11:12.824 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.825118489Z 2020-01-26 16:11:12.824 [info] <0.267.0> Feature flags:
[x] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.825184667Z 2020-01-26 16:11:12.825 [info] <0.267.0> Feature flags:
[x] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.825219968Z 2020-01-26 16:11:12.825 [info] <0.267.0> Feature flags:
[~] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.825240965Z 2020-01-26 16:11:12.825 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.834010048Z 2020-01-26 16:11:12.833 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:12.938693430Z 2020-01-26 16:11:12.938 [info] <0.267.0> Feature flag
`virtual_host_metadata`: mark as enabled=true
eventbus_1 | 2020-01-26T16:11:12.945218576Z 2020-01-26 16:11:12.945 [info] <0.267.0> Feature flags:
list of feature flags found:
eventbus_1 | 2020-01-26T16:11:12.945273145Z 2020-01-26 16:11:12.945 [info] <0.267.0> Feature flags:
[x] implicit_default_bindings
eventbus_1 | 2020-01-26T16:11:12.945282357Z 2020-01-26 16:11:12.945 [info] <0.267.0> Feature flags:
[x] quorum_queue
eventbus_1 | 2020-01-26T16:11:12.945316933Z 2020-01-26 16:11:12.945 [info] <0.267.0> Feature flags:
[x] virtual_host_metadata
eventbus_1 | 2020-01-26T16:11:12.945322120Z 2020-01-26 16:11:12.945 [info] <0.267.0> Feature flags:
feature flag states written to disk: yes
eventbus_1 | 2020-01-26T16:11:12.953976826Z 2020-01-26 16:11:12.953 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:13.002919867Z 2020-01-26 16:11:13.002 [info] <0.267.0> Waiting for Mnesia
tables for 30000 ms, 9 retries left
eventbus_1 | 2020-01-26T16:11:13.002980459Z 2020-01-26 16:11:13.002 [info] <0.267.0> Peer discovery
backend rabbit_peer_discovery_classic_config does not support registration, skipping registration.
eventbus_1 | 2020-01-26T16:11:13.003045616Z 2020-01-26 16:11:13.002 [info] <0.267.0> Running boot step
```

```
database_sync defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003159802Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
feature_flags defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003312072Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
codec_correctness_check defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003350602Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
external_infrastructure defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003436368Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_registry defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003513158Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_auth_mechanism_cr_demo defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003620436Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_queue_location_random defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003693459Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_event defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003831362Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_auth_mechanism_amqp_plain defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003902244Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_auth_mechanism_plain defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.003982697Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_exchange_type_direct defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004037832Z 2020-01-26 16:11:13.003 [info] <0.267.0> Running boot step
rabbit_exchange_type_fanout defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004110236Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_exchange_type_headers defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004253006Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_exchange_type_topic defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004305972Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_mirror_queue_mode_all defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004373461Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_mirror_queue_mode_exactly defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004436648Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_mirror_queue_mode_nodes defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004488951Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_priority_queue defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004525966Z 2020-01-26 16:11:13.004 [info] <0.267.0> Priority queues
enabled, real BQ is rabbit_variable_queue
eventbus_1 | 2020-01-26T16:11:13.004564005Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_queue_location_client_local defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004631809Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_queue_location_min_masters defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004706494Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
kernel_ready defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004713300Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_sysmon_minder defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.004844571Z 2020-01-26 16:11:13.004 [info] <0.267.0> Running boot step
rabbit_epmd_monitor defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.005992026Z 2020-01-26 16:11:13.005 [info] <0.504.0> epmd monitor knows
us, inter-node communication (distribution) port: 25672
eventbus_1 | 2020-01-26T16:11:13.006129419Z 2020-01-26 16:11:13.006 [info] <0.267.0> Running boot step
guid_generator defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.030972921Z 2020-01-26 16:11:13.030 [info] <0.267.0> Running boot step
rabbit_node_monitor defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.031104082Z 2020-01-26 16:11:13.031 [info] <0.510.0> Starting
rabbit_node_monitor
eventbus_1 | 2020-01-26T16:11:13.031252026Z 2020-01-26 16:11:13.031 [info] <0.267.0> Running boot step
delegate_sup defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.031714702Z 2020-01-26 16:11:13.031 [info] <0.267.0> Running boot step
rabbit_memory_monitor defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.031866067Z 2020-01-26 16:11:13.031 [info] <0.267.0> Running boot step
core_initialized defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.031927812Z 2020-01-26 16:11:13.031 [info] <0.267.0> Running boot step
upgrade_queues defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.044101534Z 2020-01-26 16:11:13.043 [info] <0.267.0> message_store
upgrades: 1 to apply
eventbus_1 | 2020-01-26T16:11:13.044200919Z 2020-01-26 16:11:13.044 [info] <0.267.0> message_store
upgrades: Applying rabbit_variable_queue:move_messages_to_vhost_store
```

```
eventbus_1 | 2020-01-26T16:11:13.044324079Z 2020-01-26 16:11:13.044 [info] <0.267.0> message_store
upgrades: No durable queues found. Skipping message store migration
eventbus_1 | 2020-01-26T16:11:13.044390703Z 2020-01-26 16:11:13.044 [info] <0.267.0> message_store
upgrades: Removing the old message store data
eventbus_1 | 2020-01-26T16:11:13.044682667Z 2020-01-26 16:11:13.044 [info] <0.267.0> message_store
upgrades: All upgrades applied successfully
eventbus_1 | 2020-01-26T16:11:13.074158853Z 2020-01-26 16:11:13.073 [info] <0.267.0> Running boot step
rabbit_connection_tracking defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.074261858Z 2020-01-26 16:11:13.074 [info] <0.267.0> Running boot step
rabbit_connection_tracking_handler defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.074311388Z 2020-01-26 16:11:13.074 [info] <0.267.0> Running boot step
rabbit_exchange_parameters defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.074429529Z 2020-01-26 16:11:13.074 [info] <0.267.0> Running boot step
rabbit_mirror_queue_misc defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.074726154Z 2020-01-26 16:11:13.074 [info] <0.267.0> Running boot step
rabbit_policies defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.075505067Z 2020-01-26 16:11:13.075 [info] <0.267.0> Running boot step
rabbit_policy defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.075596573Z 2020-01-26 16:11:13.075 [info] <0.267.0> Running boot step
rabbit_queue_location_validator defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.075645246Z 2020-01-26 16:11:13.075 [info] <0.267.0> Running boot step
rabbit_quorum_memory_manager defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.075698276Z 2020-01-26 16:11:13.075 [info] <0.267.0> Running boot step
rabbit_vhost_limit defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.075800497Z 2020-01-26 16:11:13.075 [info] <0.267.0> Running boot step
recovery defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.076379498Z 2020-01-26 16:11:13.076 [info] <0.267.0> Running boot step
load_core_definitions defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.076515109Z 2020-01-26 16:11:13.076 [info] <0.267.0> Running boot step
empty_db_check defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.076543045Z 2020-01-26 16:11:13.076 [info] <0.267.0> Adding vhost
 '/' (description: 'Default virtual host')
eventbus_1 | 2020-01-26T16:11:13.285974075Z 2020-01-26 16:11:13.285 [info] <0.547.0> Making sure data
directory '/var/lib/rabbitmq/mnesia/rabbit@6114dbcac6d2/msg_stores/vhosts/628WB79CIFDY09LJI6DKMI09L' for
vhost '/' exists
eventbus_1 | 2020-01-26T16:11:13.307817319Z 2020-01-26 16:11:13.307 [info] <0.547.0> Starting message
stores for vhost '/'
eventbus_1 | 2020-01-26T16:11:13.308019349Z 2020-01-26 16:11:13.307 [info] <0.551.0> Message store
"628WB79CIFDY09LJI6DKMI09L/msg_store_transient": using rabbit_msg_store_ets_index to provide index
eventbus_1 | 2020-01-26T16:11:13.309179058Z 2020-01-26 16:11:13.308 [info] <0.547.0> Started message
store of type transient for vhost '/'
eventbus_1 | 2020-01-26T16:11:13.309487300Z 2020-01-26 16:11:13.309 [info] <0.554.0> Message store
"628WB79CIFDY09LJI6DKMI09L/msg_store_persistent": using rabbit_msg_store_ets_index to provide index
eventbus_1 | 2020-01-26T16:11:13.310160475Z 2020-01-26 16:11:13.310 [warning] <0.554.0> Message store
"628WB79CIFDY09LJI6DKMI09L/msg_store_persistent": rebuilding indices from scratch
eventbus_1 | 2020-01-26T16:11:13.311201899Z 2020-01-26 16:11:13.311 [info] <0.547.0> Started message
store of type persistent for vhost '/'
eventbus_1 | 2020-01-26T16:11:13.313506050Z 2020-01-26 16:11:13.313 [info] <0.267.0> Creating user
'guest'
eventbus_1 | 2020-01-26T16:11:13.332143165Z 2020-01-26 16:11:13.331 [info] <0.267.0> Setting user tags
for user 'guest' to [administrator]
eventbus_1 | 2020-01-26T16:11:13.352530515Z 2020-01-26 16:11:13.352 [info] <0.267.0> Setting
permissions for 'guest' in '/' to '.*', '.*', '.*'
eventbus_1 | 2020-01-26T16:11:13.385976854Z 2020-01-26 16:11:13.385 [info] <0.267.0> Running boot step
rabbit_looking_glass defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.386005960Z 2020-01-26 16:11:13.385 [info] <0.267.0> Running boot step
rabbit_core_metrics_gc defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.386192366Z 2020-01-26 16:11:13.386 [info] <0.267.0> Running boot step
background_gc defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.386424907Z 2020-01-26 16:11:13.386 [info] <0.267.0> Running boot step
connection_tracking defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.412495241Z 2020-01-26 16:11:13.412 [info] <0.267.0> Setting up a table
for connection tracking on this node: tracked_connection_on_node_rabbit@6114dbcac6d2
eventbus_1 | 2020-01-26T16:11:13.439930235Z 2020-01-26 16:11:13.439 [info] <0.267.0> Setting up a table
for per-vhost connection counting on this node: tracked_connection_per_vhost_on_node_rabbit@6114dbcac6d2
eventbus_1 | 2020-01-26T16:11:13.440406788Z 2020-01-26 16:11:13.440 [info] <0.267.0> Running boot step
routing_ready defined by app rabbit
```

```

eventbus_1 | 2020-01-26T16:11:13.440578767Z 2020-01-26 16:11:13.440 [info] <0.267.0> Running boot step
pre_flight defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.440699553Z 2020-01-26 16:11:13.440 [info] <0.267.0> Running boot step
notify_cluster defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.440789853Z 2020-01-26 16:11:13.440 [info] <0.267.0> Running boot step
networking defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.444036506Z 2020-01-26 16:11:13.443 [info] <0.600.0> started TCP
listener on [::]:5672
eventbus_1 | 2020-01-26T16:11:13.444462568Z 2020-01-26 16:11:13.444 [info] <0.267.0> Running boot step
cluster_name defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.444574371Z 2020-01-26 16:11:13.444 [info] <0.267.0> Running boot step
direct_client defined by app rabbit
eventbus_1 | 2020-01-26T16:11:13.535907899Z 2020-01-26 16:11:13.535 [info] <0.8.0> Server startup
complete; 0 plugins started.
eventbus_1 | 2020-01-26T16:11:13.535935923Z 2020-01-26 16:11:13.535 [info] <0.8.0> Server startup
completed with 0 plugins.
eventbus_1 | 2020-01-26T16:11:14.377252482Z 2020-01-26 16:11:14.377 [info] <0.605.0> accepting AMQP
connection <0.605.0> (172.25.0.7:34626 -> 172.25.0.5:5672)
eventbus_1 | 2020-01-26T16:11:14.398486261Z 2020-01-26 16:11:14.398 [info] <0.605.0> connection
<0.605.0> (172.25.0.7:34626 -> 172.25.0.5:5672): user 'guest' authenticated and granted access to vhost
 '/'
eventbus_1 | 2020-01-26T16:11:29.009036266Z 2020-01-26 16:11:29.008 [info] <0.639.0> accepting AMQP
connection <0.639.0> (172.25.0.4:48606 -> 172.25.0.5:5672)
eventbus_1 | 2020-01-26T16:11:29.017393128Z 2020-01-26 16:11:29.017 [info] <0.639.0> connection
<0.639.0> (172.25.0.4:48606 -> 172.25.0.5:5672): user 'guest' authenticated and granted access to vhost
 '/'

```

Attaching to brewblox\_influx\_1

Attaching to brewblox\_datastore\_1

```

datastore_1 | 2020-01-26T16:11:21.615978462Z *****
datastore_1 | 2020-01-26T16:11:21.616020323Z WARNING: CouchDB is running in Admin Party mode.
datastore_1 | 2020-01-26T16:11:21.616029885Z This will allow anyone with access to the
datastore_1 | 2020-01-26T16:11:21.616036372Z CouchDB port to access your database. In
datastore_1 | 2020-01-26T16:11:21.616042695Z Docker's default configuration, this is
datastore_1 | 2020-01-26T16:11:21.616048759Z effectively any other container on the same
datastore_1 | 2020-01-26T16:11:21.616054871Z system.
datastore_1 | 2020-01-26T16:11:21.616063373Z Use "-e COUCHDB_USER=admin -e
COUCHDB_PASSWORD=password"
datastore_1 | 2020-01-26T16:11:21.616071236Z to set it in "docker run".
datastore_1 | 2020-01-26T16:11:21.616077462Z *****
datastore_1 | 2020-01-26T16:11:22.094903508Z [info] 2020-01-26T16:11:22.094695Z nonode@nohost <0.9.0>
----- Application couch_log started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.097913630Z [info] 2020-01-26T16:11:22.097767Z nonode@nohost <0.9.0>
----- Application folsom started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.123331571Z [info] 2020-01-26T16:11:22.123161Z nonode@nohost <0.9.0>
----- Application couch_stats started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.123445913Z [info] 2020-01-26T16:11:22.123331Z nonode@nohost <0.9.0>
----- Application khash started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.127846784Z [info] 2020-01-26T16:11:22.127696Z nonode@nohost <0.9.0>
----- Application couch_event started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.127967516Z [info] 2020-01-26T16:11:22.127854Z nonode@nohost <0.9.0>
----- Application hyper started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.131898001Z [info] 2020-01-26T16:11:22.131762Z nonode@nohost <0.9.0>
----- Application ibrowse started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.135401879Z [info] 2020-01-26T16:11:22.135266Z nonode@nohost <0.9.0>
----- Application iog started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.135553089Z [info] 2020-01-26T16:11:22.135421Z nonode@nohost <0.9.0>
----- Application mochiweb started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.140908888Z [info] 2020-01-26T16:11:22.140714Z nonode@nohost <0.206.0>
----- Apache CouchDB 2.3.1 is starting.
datastore_1 | 2020-01-26T16:11:22.140923337Z
datastore_1 | 2020-01-26T16:11:22.140954585Z [info] 2020-01-26T16:11:22.140784Z nonode@nohost <0.207.0>
----- Starting couch_sup
datastore_1 | 2020-01-26T16:11:22.147449958Z [notice] 2020-01-26T16:11:22.147283Z nonode@nohost <0.90.0>
----- config: [features] pluggable-storage-engines set to true for reason nil

```

```
datastore_1 | 2020-01-26T16:11:22.168058357Z [notice] 2020-01-26T16:11:22.167873Z nonode@nohost <0.90.0>
----- config: [couchdb] uuid set to 693e4136915819d094ae87f02faaa884 for reason nil
datastore_1 | 2020-01-26T16:11:22.236525754Z [info] 2020-01-26T16:11:22.236317Z nonode@nohost <0.206.0>
----- Apache CouchDB has started. Time to relax.
datastore_1 | 2020-01-26T16:11:22.236565782Z
datastore_1 | 2020-01-26T16:11:22.236634881Z [info] 2020-01-26T16:11:22.236389Z nonode@nohost <0.206.0>
----- Apache CouchDB has started on http://any:5986/
datastore_1 | 2020-01-26T16:11:22.236739272Z [info] 2020-01-26T16:11:22.236561Z nonode@nohost <0.9.0>
----- Application couch started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.236840293Z [info] 2020-01-26T16:11:22.236592Z nonode@nohost <0.9.0>
----- Application ets_lru started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.259783556Z [notice] 2020-01-26T16:11:22.259510Z nonode@nohost
<0.271.0> ----- rexi_server : started servers
datastore_1 | 2020-01-26T16:11:22.263671463Z [notice] 2020-01-26T16:11:22.263424Z nonode@nohost
<0.276.0> ----- rexi_buffer : started servers
datastore_1 | 2020-01-26T16:11:22.263780658Z [info] 2020-01-26T16:11:22.263582Z nonode@nohost <0.9.0>
----- Application rexi started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.287724950Z [info] 2020-01-26T16:11:22.287533Z nonode@nohost <0.9.0>
----- Application mem3 started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.287879779Z [info] 2020-01-26T16:11:22.287723Z nonode@nohost <0.9.0>
----- Application fabric started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.301234906Z [info] 2020-01-26T16:11:22.301030Z nonode@nohost <0.9.0>
----- Application chhttpd started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.310969331Z [info] 2020-01-26T16:11:22.310780Z nonode@nohost <0.9.0>
----- Application couch_index started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.311095452Z [info] 2020-01-26T16:11:22.310799Z nonode@nohost <0.9.0>
----- Application couch_mrview started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.311109908Z [info] 2020-01-26T16:11:22.310936Z nonode@nohost <0.9.0>
----- Application couch_plugins started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.346131840Z [notice] 2020-01-26T16:11:22.345858Z nonode@nohost <0.90.0>
----- config: [features] scheduler set to true for reason nil
datastore_1 | 2020-01-26T16:11:22.361687739Z [info] 2020-01-26T16:11:22.361511Z nonode@nohost <0.9.0>
----- Application couch_replicator started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.367031439Z [info] 2020-01-26T16:11:22.366818Z nonode@nohost <0.9.0>
----- Application couch_peruser started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.374059424Z [info] 2020-01-26T16:11:22.373867Z nonode@nohost <0.9.0>
----- Application ddoc_cache started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.383484847Z [info] 2020-01-26T16:11:22.383276Z nonode@nohost <0.9.0>
----- Application global_changes started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.383556786Z [info] 2020-01-26T16:11:22.383294Z nonode@nohost <0.9.0>
----- Application jiffy started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.387760750Z [info] 2020-01-26T16:11:22.387589Z nonode@nohost <0.9.0>
----- Application mango started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.391980353Z [info] 2020-01-26T16:11:22.391783Z nonode@nohost <0.9.0>
----- Application setup started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:22.392040587Z [info] 2020-01-26T16:11:22.391819Z nonode@nohost <0.9.0>
----- Application snappy started on node nonode@nohost
datastore_1 | 2020-01-26T16:11:23.148324389Z [notice] 2020-01-26T16:11:23.148036Z nonode@nohost
<0.314.0> d7b09fbbb1 datastore:5984 172.25.0.4 undefined HEAD / 200 ok 27
datastore_1 | 2020-01-26T16:11:23.150986329Z [notice] 2020-01-26T16:11:23.150521Z nonode@nohost
<0.315.0> f55d5b4620 datastore:5984 172.25.0.4 undefined HEAD / 200 ok 0
datastore_1 | 2020-01-26T16:11:23.151356881Z [notice] 2020-01-26T16:11:23.151135Z nonode@nohost
<0.316.0> 0ba324a065 datastore:5984 172.25.0.4 undefined HEAD / 200 ok 0
datastore_1 | 2020-01-26T16:11:23.160490067Z [notice] 2020-01-26T16:11:23.160260Z nonode@nohost
<0.317.0> 323a3bf37f datastore:5984 172.25.0.4 undefined PUT /spark-service 412 ok 8
datastore_1 | 2020-01-26T16:11:23.160802299Z [notice] 2020-01-26T16:11:23.160614Z nonode@nohost
<0.318.0> 441f399094 datastore:5984 172.25.0.4 undefined PUT /spark-service 412 ok 8
datastore_1 | 2020-01-26T16:11:23.165209898Z [notice] 2020-01-26T16:11:23.164977Z nonode@nohost
<0.317.0> 6a29b1a352 datastore:5984 172.25.0.4 undefined GET /spark-service/2e0046001951353530333932-
blocks-db 200 ok 4
datastore_1 | 2020-01-26T16:11:23.165569444Z [notice] 2020-01-26T16:11:23.165418Z nonode@nohost
<0.318.0> b8dddc17b8 datastore:5984 172.25.0.4 undefined GET /spark-service/2e0046001951353530333932-
config-db 200 ok 3
datastore_1 | 2020-01-26T16:11:23.190427821Z [notice] 2020-01-26T16:11:23.190178Z nonode@nohost
<0.319.0> 347c4a4784 datastore:5984 172.25.0.4 undefined PUT /spark-service/2e0046001951353530333932-
blocks-db 409 ok 26
datastore_1 | 2020-01-26T16:11:23.200294301Z [notice] 2020-01-26T16:11:23.199903Z nonode@nohost
```



```
<0.320.0> 543a1a79d6 datastore:5984 172.25.0.4 undefined PUT /spark-service/2e0046001951353530333932-
config-db 409 ok 36
datastore_1 | 2020-01-26T16:11:27.322581666Z [notice] 2020-01-26T16:11:27.322271Z nonode@nohost
<0.354.0> ----- couch_replicator_clustering : cluster stable
datastore_1 | 2020-01-26T16:11:27.325501659Z [notice] 2020-01-26T16:11:27.325197Z nonode@nohost
<0.406.0> ----- Started replicator db changes listener <0.544.0>
datastore_1 | 2020-01-26T16:11:28.235479677Z [notice] 2020-01-26T16:11:28.235047Z nonode@nohost
<0.320.0> ec4ff96bf6 datastore:5984 172.25.0.4 undefined PUT /spark-service/2e0046001951353530333932-
blocks-db?rev=4-a2d470834c2a8d4be498ab8ea547b1fd 201 ok 39
datastore_1 | 2020-01-26T16:11:36.492441722Z [notice] 2020-01-26T16:11:36.491987Z nonode@nohost
<0.786.0> fa3f7e8778 192.168.10.108 192.168.10.108 undefined PUT /brewblox-ui-store/services__spark-one
201 ok 42
datastore_1 | 2020-01-26T16:11:37.260438220Z [notice] 2020-01-26T16:11:37.260171Z nonode@nohost
<0.276.0> ----- rexi_buffer : cluster stable
datastore_1 | 2020-01-26T16:11:37.260545927Z [notice] 2020-01-26T16:11:37.260237Z nonode@nohost
<0.271.0> ----- rexi_server : cluster stable
datastore_1 | 2020-01-26T16:14:21.937561753Z [notice] 2020-01-26T16:14:21.937244Z nonode@nohost
<0.4113.0> 026bae0d02 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/ 200 ok 3
datastore_1 | 2020-01-26T16:14:21.955316313Z [notice] 2020-01-26T16:14:21.954988Z nonode@nohost
<0.4113.0> 94badf0ed6 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/ 200 ok 1
datastore_1 | 2020-01-26T16:14:21.975899267Z [notice] 2020-01-26T16:14:21.975185Z nonode@nohost
<0.4113.0> ec5f207ff5 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/ 200 ok 1
datastore_1 | 2020-01-26T16:14:21.984365405Z [notice] 2020-01-26T16:14:21.984001Z nonode@nohost
<0.4114.0> df2blad68a 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 9
datastore_1 | 2020-01-26T16:14:22.052392233Z [notice] 2020-01-26T16:14:22.052057Z nonode@nohost
<0.4113.0> cafd59b7cd 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 2
datastore_1 | 2020-01-26T16:14:22.071719329Z [notice] 2020-01-26T16:14:22.069275Z nonode@nohost
<0.4113.0> ccaldadf68 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 3
datastore_1 | 2020-01-26T16:14:22.081887233Z [notice] 2020-01-26T16:14:22.081193Z nonode@nohost
<0.4113.0> 5b82dfb6a0 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 3
datastore_1 | 2020-01-26T16:14:22.089464990Z [notice] 2020-01-26T16:14:22.082330Z nonode@nohost
<0.4115.0> 7f56b0860d 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 3
datastore_1 | 2020-01-26T16:14:22.094689262Z [notice] 2020-01-26T16:14:22.093463Z nonode@nohost
<0.4113.0> 3b52b4de34 192.168.10.108 192.168.10.108 undefined GET / 200 ok 0
datastore_1 | 2020-01-26T16:14:22.094715825Z [notice] 2020-01-26T16:14:22.094189Z nonode@nohost
<0.4115.0> 69b49dedfe 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 7
datastore_1 | 2020-01-26T16:14:22.276698456Z [notice] 2020-01-26T16:14:22.276376Z nonode@nohost
<0.4115.0> 5a4134a453 192.168.10.108 192.168.10.108 undefined GET /brewblox-ui-store/_all_docs?
include_docs=true 200 ok 2
```

Attaching to brewblox\_history\_1

```
history_1 | 2020-01-26T16:11:04.258291925Z /usr/local/lib/python3.7/site-packages/aioinflux/compat.py:
12: UserWarning: Pandas/Numpy is not available. Support for 'dataframe' mode is disabled.
history_1 | 2020-01-26T16:11:04.258343254Z warnings.warn(no_pandas_warning)
history_1 | 2020-01-26T16:11:04.258348233Z 2020/01/26 16:11:04 INFO
brewblox_service.service Creating [history] application
history_1 | 2020-01-26T16:11:04.258746382Z 2020/01/26 16:11:04 INFO
brewblox_service.events Deferred event bus subscription: [<# @ brewcast>]
history_1 | 2020-01-26T16:11:04.321916924Z 2020/01/26 16:11:04 INFO
brewblox_service.service Service info: 0.9.0-57-g0ae3802 @ Mon Jan 20 11:22:56 UTC 2020
history_1 | 2020-01-26T16:11:04.322936694Z 2020/01/26 16:11:04 INFO
brewblox_service.events Closing <EventListener for "eventbus">
history_1 | 2020-01-26T16:11:04.323389533Z 2020/01/26 16:11:04 INFO
brewblox_service.events <EventListener for "eventbus"> now listening
history_1 | 2020-01-26T16:11:08.363929616Z /usr/local/lib/python3.7/site-packages/brewblox_service/
events.py:241: UserWarning: Connection error in <EventListener for "eventbus">:
ConnectionRefusedError([Errno 111] Connect call failed ('172.25.0.5', 5672))
history_1 | 2020-01-26T16:11:08.363967345Z warnings.warn(f'Connection error in {self}: {strex(ex)}')
history_1 | 2020-01-26T16:11:08.363971040Z 2020/01/26 16:11:08 INFO
brewblox_history.influx Connected <InfluxWriter brewblox>
```

```

history_1 | 2020-01-26T16:11:14.376883264Z 2020/01/26 16:11:14 WARNING
aioamqp.protocol only PLAIN login method is supported, falling back to AMQPPLAIN
history_1 | 2020-01-26T16:11:14.400039235Z 2020/01/26 16:11:14 INFO
brewblox_service.events Connected <EventListener for "eventbus">
history_1 | 2020-01-26T16:11:14.400360236Z 2020/01/26 16:11:14 INFO
brewblox_service.events Declaring event bus subscription <# @ brewcast> on
<aioamqp.channel.Channel object at 0x7fed882c21d0>

```

Attaching to brewblox\_traefik\_1

Attaching to brewblox\_ui\_1

```

ui_1 | 2020-01-26T16:14:21.660109239Z 172.25.0.8 - - [26/Jan/2020:16:14:21 +0000] "GET /ui/
service/spark-one HTTP/1.1" 304 0 "-" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:72.0) Gecko/20100101
Firefox/72.0" "192.168.10.108"
ui_1 | 2020-01-26T16:14:21.687060024Z 172.25.0.8 - - [26/Jan/2020:16:14:21 +0000] "GET /ui/css/
app.e4ad4734.css HTTP/1.1" 304 0 "https://192.168.10.108/ui/service/spark-one" "Mozilla/5.0 (X11; Ubuntu;
Linux x86_64; rv:72.0) Gecko/20100101 Firefox/72.0" "192.168.10.108"
ui_1 | 2020-01-26T16:14:21.688229350Z 172.25.0.8 - - [26/Jan/2020:16:14:21 +0000] "GET /ui/js/
vendor.641fd5c3.js HTTP/1.1" 304 0 "https://192.168.10.108/ui/service/spark-one" "Mozilla/5.0 (X11;
Ubuntu; Linux x86_64; rv:72.0) Gecko/20100101 Firefox/72.0" "192.168.10.108"
ui_1 | 2020-01-26T16:14:21.691040976Z 172.25.0.8 - - [26/Jan/2020:16:14:21 +0000] "GET /ui/js/app.
6409f7c2.js HTTP/1.1" 304 0 "https://192.168.10.108/ui/service/spark-one" "Mozilla/5.0 (X11; Ubuntu;
Linux x86_64; rv:72.0) Gecko/20100101 Firefox/72.0" "192.168.10.108"
ui_1 | 2020-01-26T16:14:21.691103641Z 172.25.0.8 - - [26/Jan/2020:16:14:21 +0000] "GET /ui/js/
runtime.da269603.js HTTP/1.1" 304 0 "https://192.168.10.108/ui/service/spark-one" "Mozilla/5.0 (X11;
Ubuntu; Linux x86_64; rv:72.0) Gecko/20100101 Firefox/72.0" "192.168.10.108"

```

=====COMPOSE=====

```

services:
  spark-one:
    command: '--name=spark-one --mdns-port=${BREWLOX_PORT_MDNS} --device-host=192.168.10.151'
    image: brewblox/brewblox-devcon-spark:${BREWLOX_RELEASE}
    labels:
      - traefik.port=5000
      - 'traefik.frontend.rule=PathPrefix: /spark-one'
    privileged: true
    restart: unless-stopped
version: '3'
=====SHARED=====
version: "3"

```

```

services:
  mdns:
    image: brewblox/brewblox-mdns:${BREWLOX_RELEASE}
    network_mode: host
    restart: unless-stopped
    command: --port=${BREWLOX_PORT_MDNS}
  eventbus:
    image: rabbitmq:alpine
    restart: unless-stopped
  influx:
    image: influxdb
    restart: unless-stopped
    volumes:
      - ./influxdb:/var/lib/influxdb
    environment:
      - INFLUXDB_HTTP_LOG_ENABLED=false
      - INFLUXDB_LOGGING_LEVEL=warn
      - INFLUXDB_DATA_WAL_FSYNC_DELAY=1s
      - INFLUXDB_DATA_INDEX_VERSION=ts1l
  datastore:
    image: treehouses/couchdb:2.3.1
    restart: unless-stopped
    labels:

```

```

- "traefik.port=5984"
- "traefik.frontend.rule=PathPrefixStrip: /datastore"
volumes:
- ./couchdb:/opt/couchdb/data/
history:
image: brewblox/brewblox-history:${BREWLOX_RELEASE}
restart: unless-stopped
labels:
- "traefik.port=5000"
- "traefik.frontend.rule=PathPrefix: /history"
traefik:
image: traefik:v1.7
restart: unless-stopped
ports:
- ${BREWLOX_PORT_HTTP}:${BREWLOX_PORT_HTTP}
- ${BREWLOX_PORT_HTTPS}:${BREWLOX_PORT_HTTPS}
volumes:
- ./traefik:/config
- /var/run/docker.sock:/var/run/docker.sock
command: >
-c /dev/null
--docker
--docker.domain=brewblox.local
--entrypoints='name:http Address:::${BREWLOX_PORT_HTTP} Redirect.EntryPoint:https'
--entrypoints='name:https Address:::${BREWLOX_PORT_HTTPS} TLS:config/brewblox.crt,config/
brewblox.key'
--defaultentrypoints="http,https"
ui:
image: brewblox/brewblox-ui:${BREWLOX_RELEASE}
restart: unless-stopped
labels:
- "traefik.port=80"
- "traefik.frontend.rule=Path:/, /ui, /ui/{sub:(.*)?}"
=====BLOCKS=====
[{'data': {'active': [0, 7]},
'groups': [7],
'id': 'ActiveGroups',
'nid': 1,
'type': 'Groups'},
{'data': {'deviceId': '2e0046001951353530333932',
'platform': 8,
'protocolDate': '2019-11-08',
'protocolVersion': 'de9133d',
'releaseDate': '2020-01-17',
'version': '2b8fe934'},
'groups': [7],
'id': 'SystemInfo',
'nid': 2,
'type': 'SysInfo'},
{'data': {'avgBlocksUpdateTask': 6.65625,
'avgCommunicationTask': 2.96875,
'avgDisplayTask': 1.4375,
'avgSystemTask': 1.96875,
'millisSinceBoot': 832222,
'secondsSinceEpoch': 1580055682},
'groups': [7],
'id': 'SystemTime',
'nid': 3,
'type': 'Ticks'},
{'data': {'address': []},
'groups': [7],
'id': 'OneWireBus',
'nid': 4,
'type': 'OneWireBus'},
{'data': {'cipher': 0,
'ip': '192.168.10.151',
'password': ''},

```

```
    'security': 0,
    'signal': -52,
    'ssid': 'Hoejbakken'},
  'groups': [7],
  'id': 'WiFiSettings',
  'nid': 5,
  'type': 'WiFiSettings'},
{'data': {'calibrated': 1,
  'xBitsPerPixelX16': 64,
  'xOffset': 0,
  'yBitsPerPixelX16': 64,
  'yOffset': 0},
  'groups': [7],
  'id': 'TouchSettings',
  'nid': 6,
  'type': 'TouchSettings'},
{'data': {'brightness': 0,
  'name': '',
  'tempUnit': 0,
  'widgets': [{ 'color': '4169e1',
    'name': 'HLT PID',
    'pid<Pid>': 'New|Pid-1',
    'pos': 1},
  { 'color': 'e0ab41',
    'name': 'MT PID',
    'pid<Pid>': 'New|Pid-3',
    'pos': 2},
  { 'color': '7be041',
    'name': 'BK PID',
    'pid<Pid>': 'New|Pid-2',
    'pos': 3}]},
  'groups': [7],
  'id': 'DisplaySettings',
  'nid': 7,
  'type': 'DisplaySettings'},
{'data': {'enableIoSupply12V': True,
  'enableIoSupply5V': True,
  'pins': [{ 'top1': { 'config': 1, 'state': 0}},
    { 'top2': { 'config': 1, 'state': 0}},
    { 'top3': { 'config': 0, 'state': 0}},
    { 'bottom1': { 'config': 1, 'state': 0}},
    { 'bottom2': { 'config': 1, 'state': 0}}],
  'soundAlarm': False,
  'voltage12': 12.187919463087248,
  'voltage5': 5.053658536585366},
  'groups': [7],
  'id': 'SparkPins',
  'nid': 19,
  'type': 'Spark3Pins'},
{'data': {'address': '283c01d6090000c5',
  'offset[delta_degC]': 0.0,
  'value[degC]': None},
  'groups': [0],
  'id': 'New|TempSensorOneWire-1',
  'nid': 100,
  'type': 'TempSensorOneWire'},
{'data': {'address': '28028ad509000008',
  'offset[delta_degC]': 0.0,
  'value[degC]': None},
  'groups': [0],
  'id': 'New|TempSensorOneWire-2',
  'nid': 101,
  'type': 'TempSensorOneWire'},
{'data': {'address': '28f1edd30900006a',
  'offset[delta_degC]': 0.0,
  'value[degC]': None},
  'groups': [0],
```

```
'id': 'New|TempSensorOneWire-3',
'nid': 102,
'type': 'TempSensorOneWire'},
{'data': {'address': '28d365d50900004e',
          'offset[delta_degC]': 0.0,
          'value[degC]': None},
'groups': [0],
'id': 'New|TempSensorOneWire-4',
'nid': 103,
'type': 'TempSensorOneWire'},
{'data': {'active': False,
          'boilMinOutput': 0.0,
          'boilModeActive': False,
          'boilPointAdjust[delta_degC]': 0.0,
          'd': 0.0,
          'derivative[delta_degC / hour]': 0.0,
          'drivenOutputId<ActuatorAnalogInterface,driven>': None,
          'enabled': False,
          'error[delta_degC]': 0.0,
          'i': 0.0,
          'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-1',
          'inputSetting[degC]': 30.0,
          'inputValue[degC]': None,
          'integralReset': 0.0,
          'integral[delta_degC * hour]': 0.0,
          'kp[1 / degC]': 50.0,
          'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-1',
          'outputSetting': 0.0,
          'outputValue': None,
          'p': 0.0,
          'td[second]': 0,
          'ti[second]': 600},
'groups': [0],
'id': 'New|Pid-1',
'nid': 104,
'type': 'Pid'},
{'data': {'filter': 1,
          'filterThreshold[delta_degC]': 5.0,
          'resetFilter': False,
          'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-4',
          'settingEnabled': True,
          'setting[degC]': 30.0,
          'storedSetting[degC]': 30.0,
          'valueUnfiltered[degC]': None,
          'value[degC]': None},
'groups': [0],
'id': 'New|SetpointSensorPair-1',
'nid': 105,
'type': 'SetpointSensorPair'},
{'data': {'channel': 0,
          'desiredState': 0,
          'hwDevice<IoArrayInterface,driven>': 'SparkPins',
          'invert': False,
          'state': None},
'groups': [0],
'id': 'New|DigitalActuator-1',
'nid': 106,
'type': 'DigitalActuator'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-1',
          'desiredSetting': 0.0,
          'drivenActuatorId<ProcessValueInterface,driven>': 'New|DigitalActuator-1',
          'enabled': True,
          'period[second]': 4.0,
          'setting': 0.0,
          'value': None},
'groups': [0],
'id': 'New|ActuatorPwm-1',
```

```
'nid': 107,
'type': 'ActuatorPwm'},
{'data': {'filter': 1,
          'filterThreshold[delta_degC]': 5.0,
          'resetFilter': False,
          'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-2',
          'settingEnabled': True,
          'setting[degC]': 30.0,
          'storedSetting[degC]': 30.0,
          'valueUnfiltered[degC]': None,
          'value[degC]': None},
'groups': [0],
'id': 'New|SetpointSensorPair-2',
'nid': 108,
'type': 'SetpointSensorPair'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-2',
          'desiredSetting': 0.0,
          'drivenActuatorId<ProcessValueInterface,driven>': 'New|DigitalActuator-2',
          'enabled': True,
          'period[second]': 4.0,
          'setting': 0.0,
          'value': None},
'groups': [0],
'id': 'New|ActuatorPwm-2',
'nid': 109,
'type': 'ActuatorPwm'},
{'data': {'channel': 0,
          'desiredState': 0,
          'hwDevice<IoArrayInterface,driven>': 'SparkPins',
          'invert': False,
          'state': None},
'groups': [0],
'id': 'New|DigitalActuator-2',
'nid': 110,
'type': 'DigitalActuator'},
{'data': {'active': False,
          'boilMinOutput': 0.0,
          'boilModeActive': False,
          'boilPointAdjust[delta_degC]': 0.0,
          'd': 0.0,
          'derivative[delta_degC / hour]': 0.0,
          'drivenOutputId<ActuatorAnalogInterface,driven>': None,
          'enabled': False,
          'error[delta_degC]': 0.0,
          'i': 0.0,
          'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-2',
          'inputSetting[degC]': 30.0,
          'inputValue[degC]': None,
          'integralReset': 0.0,
          'integral[delta_degC * hour]': 0.0,
          'kp[1 / degC]': 50.0,
          'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-2',
          'outputSetting': 0.0,
          'outputValue': None,
          'p': 0.0,
          'td[second]': 0,
          'ti[second]': 600},
'groups': [0],
'id': 'New|Pid-2',
'nid': 111,
'type': 'Pid'},
{'data': {'filter': 1,
          'filterThreshold[delta_degC]': 5.0,
          'resetFilter': False,
          'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-3',
          'settingEnabled': True,
          'setting[degC]': 30.0,
```

```
    'storedSetting[degC]': 30.0,
    'valueUnfiltered[degC]': None,
    'value[degC]': None},
  'groups': [0],
  'id': 'New|SetpointSensorPair-3',
  'nid': 112,
  'type': 'SetpointSensorPair'},
{'data': {'channel': 1,
  'desiredState': 0,
  'hwDevice<IoArrayInterface,driven>': 'SparkPins',
  'invert': False,
  'state': 0},
  'groups': [0],
  'id': 'New|DigitalActuator-3',
  'nid': 113,
  'type': 'DigitalActuator'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-3',
  'desiredSetting': 0.0,
  'drivenActuatorId<ProcessValueInterface,driven>': 'New|DigitalActuator-3',
  'enabled': True,
  'period[second]': 1.0,
  'setting': 0.0,
  'value': 0.0},
  'groups': [0],
  'id': 'New|ActuatorPwm-3',
  'nid': 114,
  'type': 'ActuatorPwm'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-4',
  'desiredSetting': 0.0,
  'drivenActuatorId<ProcessValueInterface,driven>': 'New|DigitalActuator-4',
  'enabled': True,
  'period[second]': 1.0,
  'setting': 0.0,
  'value': 0.0},
  'groups': [0],
  'id': 'New|ActuatorPwm-4',
  'nid': 115,
  'type': 'ActuatorPwm'},
{'data': {'channel': 2,
  'desiredState': 0,
  'hwDevice<IoArrayInterface,driven>': 'SparkPins',
  'invert': False,
  'state': 0},
  'groups': [0],
  'id': 'New|DigitalActuator-4',
  'nid': 116,
  'type': 'DigitalActuator'},
{'data': {'drivenTargetId<SetpointSensorPair,driven>': 'New|SetpointSensorPair-3',
  'enabled': True,
  'points': [{ 'temperature[degC]': 20.0, 'time': 0},
    { 'temperature[degC]': 30.0, 'time': 900}],
  'start': 1563824255,
  'targetId<SetpointSensorPair>': 'New|SetpointSensorPair-3'},
  'groups': [0],
  'id': 'New|SetpointProfile-1',
  'nid': 117,
  'type': 'SetpointProfile'},
{'data': {'desiredSetting': 0.0,
  'drivenTargetId<ProcessValueInterface,driven>': 'New|SetpointSensorPair-1',
  'enabled': True,
  'referenceId<ProcessValueInterface>': 'New|SetpointSensorPair-3',
  'referenceSettingOrValue': 0,
  'setting': 0.0,
  'targetId<ProcessValueInterface>': 'New|SetpointSensorPair-1',
  'value': None},
  'groups': [0],
  'id': 'New|ActuatorOffset-1',
```

```
'nid': 118,
'type': 'ActuatorOffset'},
{'data': {'active': False,
          'boilMinOutput': 0.0,
          'boilModeActive': False,
          'boilPointAdjust[delta_degC]': 0.0,
          'd': 0.0,
          'derivative[delta_degC / hour]': 0.0,
          'drivenOutputId<ActuatorAnalogInterface,driven>': None,
          'enabled': True,
          'error[delta_degC]': 0.0,
          'i': 0.0,
          'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-3',
          'inputSetting[degC]': 30.0,
          'inputValue[degC]': None,
          'integralReset': 0.0,
          'integral[delta_degC * hour]': 0.0,
          'kp[1 / degC]': 1.0,
          'outputId<ActuatorAnalogInterface>': 'New|ActuatorOffset-1',
          'outputSetting': 0.0,
          'outputValue': None,
          'p': 0.0,
          'td[second]': 0,
          'ti[second]': 600},
'groups': [0],
'id': 'New|Pid-3',
'nid': 119,
'type': 'Pid'},
{'data': {'filter': 1,
          'filterThreshold[delta_degC]': 5.0,
          'resetFilter': False,
          'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-2',
          'settingEnabled': True,
          'setting[degC]': 0.0,
          'storedSetting[degC]': 0.0,
          'valueUnfiltered[degC]': None,
          'value[degC]': None},
'groups': [0],
'id': 'New|SetpointSensorPair-4',
'nid': 122,
'type': 'SetpointSensorPair'},
{'data': {'drivenTargetId<SetpointSensorPair,driven>': 'New|SetpointSensorPair-4',
          'enabled': True,
          'points': [{'temperature[degC]': 12.0, 'time': 0},
                    {'temperature[degC]': 15.0, 'time': 172800},
                    {'temperature[degC]': 12.0, 'time': 604800},
                    {'temperature[degC]': 0.0, 'time': 864000},
                    {'temperature[degC]': 0.0, 'time': 1296000}],
          'start': 1575403405,
          'targetId<SetpointSensorPair>': 'New|SetpointSensorPair-4'},
'groups': [0],
'id': 'New|SetpointProfile-2',
'nid': 123,
'type': 'SetpointProfile'},
{'data': {'differentActuatorWait[second]': 900.0,
          'waitRemaining[second]': 0.0},
'groups': [0],
'id': 'New|Mutex-1',
'nid': 124,
'type': 'Mutex'},
{'data': {'channel': 0,
          'constrainedBy': {'constraints': [{'limiting': False,
                                             'minOn[second]': 5.0},
                                           {'limiting': False,
                                             'mutex<MutexInterface>': 'New|Mutex-1'}]}},
'desiredState': 0,
'hwDevice<IoArrayInterface,driven>': 'SparkPins',
```



```
      'invert': False,
      'state': None},
  'groups': [0],
  'id': 'New|DigitalActuator-5',
  'nid': 125,
  'type': 'DigitalActuator'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-5',
  'desiredSetting': 0.0,
  'drivenActuatorId<ProcessValueInterface,driven>': None,
  'enabled': True,
  'period[second]': 600.0,
  'setting': None,
  'value': None},
  'groups': [0],
  'id': 'New|ActuatorPwm-5',
  'nid': 126,
  'type': 'ActuatorPwm'},
{'data': {'active': False,
  'boilMinOutput': 0.0,
  'boilModeActive': False,
  'boilPointAdjust[delta_degC]': 0.0,
  'd': 0.0,
  'derivative[delta_degC / hour]': 0.0,
  'drivenOutputId<ActuatorAnalogInterface,driven>': None,
  'enabled': True,
  'error[delta_degC]': 0.0,
  'i': 0.0,
  'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-4',
  'inputSetting[degC]': 0.0,
  'inputValue[degC]': None,
  'integralReset': 0.0,
  'integral[delta_degC * hour]': 0.0,
  'kp[1 / degC]': -20.0,
  'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-5',
  'outputSetting': None,
  'outputValue': None,
  'p': 0.0,
  'td[second]': 600,
  'ti[second]': 7200},
  'groups': [0],
  'id': 'New|Pid-4',
  'nid': 127,
  'type': 'Pid'},
{'data': {'filter': 1,
  'filterThreshold[delta_degC]': 5.0,
  'resetFilter': False,
  'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-2',
  'settingEnabled': True,
  'setting[degC]': 20.0,
  'storedSetting[degC]': 20.0,
  'valueUnfiltered[degC]': None,
  'value[degC]': None},
  'groups': [0],
  'id': 'New|SetpointSensorPair-5',
  'nid': 130,
  'type': 'SetpointSensorPair'},
{'data': {'drivenTargetId<SetpointSensorPair,driven>': None,
  'enabled': False,
  'points': [{'temperature[degC]': 20.0, 'time': 0},
    {'temperature[degC]': 20.0, 'time': 604800},
    {'temperature[degC]': 23.0, 'time': 864000}],
  'start': 1575570264,
  'targetId<SetpointSensorPair>': 'New|SetpointSensorPair-5'},
  'groups': [0],
  'id': 'New|SetpointProfile-3',
  'nid': 131,
  'type': 'SetpointProfile'},
```

```
{'data': {'differentActuatorWait[second]': 900.0,
          'waitRemaining[second]': 0.0},
 'groups': [0],
 'id': 'New|Mutex-2',
 'nid': 132,
 'type': 'Mutex'},
{'data': {'channel': 0,
          'constrainedBy': {'constraints': [{'limiting': False,
                                             'minOn[second]': 5.0},
                                             {'limiting': False,
                                              'mutex<MutexInterface>': 'New|Mutex-2'}]},
          'desiredState': 0,
          'hwDevice<IoArrayInterface,driven>': 'SparkPins',
          'invert': False,
          'state': None},
 'groups': [0],
 'id': 'New|DigitalActuator-6',
 'nid': 133,
 'type': 'DigitalActuator'},
{'data': {'channel': 0,
          'constrainedBy': {'constraints': [{'limiting': False,
                                             'mutex<MutexInterface>': 'New|Mutex-2'}]},
          'desiredState': 0,
          'hwDevice<IoArrayInterface,driven>': 'SparkPins',
          'invert': False,
          'state': None},
 'groups': [0],
 'id': 'New|DigitalActuator-7',
 'nid': 134,
 'type': 'DigitalActuator'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-6',
          'desiredSetting': 0.0,
          'drivenActuatorId<ProcessValueInterface,driven>': None,
          'enabled': True,
          'period[second]': 600.0,
          'setting': None,
          'value': None},
 'groups': [0],
 'id': 'New|ActuatorPwm-6',
 'nid': 135,
 'type': 'ActuatorPwm'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-7',
          'desiredSetting': 0.0,
          'drivenActuatorId<ProcessValueInterface,driven>': None,
          'enabled': True,
          'period[second]': 10.0,
          'setting': None,
          'value': None},
 'groups': [0],
 'id': 'New|ActuatorPwm-7',
 'nid': 136,
 'type': 'ActuatorPwm'},
{'data': {'active': False,
          'boilMinOutput': 0.0,
          'boilModeActive': False,
          'boilPointAdjust[delta_degC]': 0.0,
          'd': 0.0,
          'derivative[delta_degC / hour]': 0.0,
          'drivenOutputId<ActuatorAnalogInterface,driven>': None,
          'enabled': True,
          'error[delta_degC]': 0.0,
          'i': 0.0,
          'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-5',
          'inputSetting[degC]': 20.0,
          'inputValue[degC]': None,
          'integralReset': 0.0,
          'integral[delta_degC * hour]': 0.0,
```

```
'kp[1 / degC]': -20.0,
'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-6',
'outputSetting': None,
'outputValue': None,
'p': 0.0,
'td[second]': 600,
'ti[second]': 7200},
'groups': [0],
'id': 'New|Pid-5',
'nid': 137,
'type': 'Pid'},
{'data': {'active': False,
'boilMinOutput': 0.0,
'boilModeActive': False,
'boilPointAdjust[delta_degC]': 0.0,
'd': 0.0,
'derivative[delta_degC / hour]': 0.0,
'drivenOutputId<ActuatorAnalogInterface,driven>': None,
'enabled': True,
'error[delta_degC]': 0.0,
'i': 0.0,
'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-5',
'inputSetting[degC]': 20.0,
'inputValue[degC]': None,
'integralReset': 0.0,
'integral[delta_degC * hour]': 0.0,
'kp[1 / degC]': 20.0,
'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-7',
'outputSetting': None,
'outputValue': None,
'p': 0.0,
'td[second]': 600,
'ti[second]': 7200},
'groups': [0],
'id': 'New|Pid-6',
'nid': 138,
'type': 'Pid'},
{'data': {'filter': 1,
'filterThreshold[delta_degC]': 5.0,
'resetFilter': False,
'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-2',
'settingEnabled': True,
'setting[degC]': 20.0,
'storedSetting[degC]': 20.0,
'valueUnfiltered[degC]': None,
'value[degC]': None},
'groups': [0],
'id': 'New|SetpointSensorPair-6',
'nid': 141,
'type': 'SetpointSensorPair'},
{'data': {'filter': 1,
'filterThreshold[delta_degC]': 5.0,
'resetFilter': False,
'sensorId<TempSensorInterface>': 'New|TempSensorOneWire-4',
'settingEnabled': True,
'setting[degC]': 20.0,
'storedSetting[degC]': 20.0,
'valueUnfiltered[degC]': None,
'value[degC]': None},
'groups': [0],
'id': 'New|SetpointSensorPair-7',
'nid': 142,
'type': 'SetpointSensorPair'},
{'data': {'differentActuatorWait[second]': 2700.0,
'waitRemaining[second]': 2351.854},
'groups': [0],
'id': 'New|Mutex-3',
```

```
'nid': 143,
'type': 'Mutex'},
{'data': {'channel': 4,
  'constrainedBy': {'constraints': [{'limiting': False,
    'minOff[second]': 300.0},
    {'limiting': False,
    'minOn[second]': 180.0},
    {'limiting': False,
    'mutex<MutexInterface>': 'New|Mutex-3'}]},
  'desiredState': 0,
  'hwDevice<IoArrayInterface,driven>': 'SparkPins',
  'invert': False,
  'state': 0},
'groups': [0],
'id': 'New|DigitalActuator-8',
'nid': 144,
'type': 'DigitalActuator'},
{'data': {'channel': 5,
  'constrainedBy': {'constraints': [{'limiting': True,
    'mutex<MutexInterface>': 'New|Mutex-3'}]},
  'desiredState': 1,
  'hwDevice<IoArrayInterface,driven>': 'SparkPins',
  'invert': False,
  'state': 0},
'groups': [0],
'id': 'New|DigitalActuator-9',
'nid': 145,
'type': 'DigitalActuator'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-8',
  'desiredSetting': 0.0,
  'drivenActuatorId<ProcessValueInterface,driven>': None,
  'enabled': True,
  'period[second]': 1800.0,
  'setting': None,
  'value': 0.0},
'groups': [0],
'id': 'New|ActuatorPwm-8',
'nid': 146,
'type': 'ActuatorPwm'},
{'data': {'actuatorId<ActuatorDigitalInterface>': 'New|DigitalActuator-9',
  'desiredSetting': 0.0,
  'drivenActuatorId<ProcessValueInterface,driven>': None,
  'enabled': True,
  'period[second]': 10.0,
  'setting': None,
  'value': 0.0},
'groups': [0],
'id': 'New|ActuatorPwm-9',
'nid': 147,
'type': 'ActuatorPwm'},
{'data': {'drivenTargetId<SetpointSensorPair,driven>': 'New|SetpointSensorPair-7',
  'enabled': True,
  'points': [{'temperature[degC]': 20.0, 'time': 0},
    {'temperature[degC]': 20.0, 'time': 604800},
    {'temperature[degC]': 23.0, 'time': 864000}],
  'start': 1580043938,
  'targetId<SetpointSensorPair>': 'New|SetpointSensorPair-7'},
'groups': [0],
'id': 'New|SetpointProfile-4',
'nid': 148,
'type': 'SetpointProfile'},
{'data': {'active': False,
  'boilMinOutput': 0.0,
  'boilModeActive': False,
  'boilPointAdjust[delta_degC]': 0.0,
  'd': 0.0,
  'derivative[delta_degC / hour]': 0.0,
```

```

    'drivenOutputId<ActuatorAnalogInterface,driven>': None,
    'enabled': True,
    'error[delta_degC]': 0.0,
    'i': 0.0,
    'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-7',
    'inputSetting[degC]': 20.0,
    'inputValue[degC]': None,
    'integralReset': 0.0,
    'integral[delta_degC * hour]': 0.0,
    'kp[1 / degC]': -50.0,
    'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-8',
    'outputSetting': None,
    'outputValue': 0.0,
    'p': 0.0,
    'td[second]': 1800,
    'ti[second]': 21600},
  'groups': [0],
  'id': 'New|Pid-7',
  'nid': 149,
  'type': 'Pid'},
{'data': {'active': False,
  'boilMinOutput': 0.0,
  'boilModeActive': False,
  'boilPointAdjust[delta_degC]': 0.0,
  'd': 0.0,
  'derivative[delta_degC / hour]': 0.0,
  'drivenOutputId<ActuatorAnalogInterface,driven>': None,
  'enabled': True,
  'error[delta_degC]': 0.0,
  'i': 0.0,
  'inputId<SetpointSensorPairInterface>': 'New|SetpointSensorPair-7',
  'inputSetting[degC]': 20.0,
  'inputValue[degC]': None,
  'integralReset': 0.0,
  'integral[delta_degC * hour]': 0.0,
  'kp[1 / degC]': 100.0,
  'outputId<ActuatorAnalogInterface>': 'New|ActuatorPwm-9',
  'outputSetting': None,
  'outputValue': 0.0,
  'p': 0.0,
  'td[second]': 1800,
  'ti[second]': 21600},
  'groups': [0],
  'id': 'New|Pid-8',
  'nid': 150,
  'type': 'Pid'},
{'data': {'actualId': 10},
  'groups': [0, 1, 2, 3, 4, 5, 6, 7],
  'id': 'New|DeprecatedObject-1',
  'nid': 151,
  'type': 'DeprecatedObject'},
{'data': {'actualId': 11},
  'groups': [0, 1, 2, 3, 4, 5, 6, 7],
  'id': 'New|DeprecatedObject-2',
  'nid': 152,
  'type': 'DeprecatedObject'}}
=====INSPECT=====
[
  {
    "Id": "sha256:7f64c92d91fb90fd74e2c3d30dda983a1ee432d8df517a952b68a5dc323a7ea0",
    "RepoTags": [
      "treehouses/couchdb:2.3.1"
    ],
    "RepoDigests": [
      "treehouses/couchdb@sha256:8c8516d913a904386a514511eff2c1bb37cc6a6a9a93d15e81231c4fffbfeaf7"
    ],
    "Parent": "",

```

```
"Comment": "",
"Created": "2019-08-14T03:58:07.050670598Z",
"Container": "f95bedaf665744d6b38e781b1c3418fca82eaf9bd0dfc14d3c0141847eed846",
"ContainerConfig": {
  "Hostname": "f95bedaf6657",
  "Domainname": "",
  "User": "",
  "AttachStdin": false,
  "AttachStdout": false,
  "AttachStderr": false,
  "ExposedPorts": {
    "4369/tcp": {},
    "5984/tcp": {},
    "9100/tcp": {}
  },
  "Tty": false,
  "OpenStdin": false,
  "StdinOnce": false,
  "Env": [
    "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
    "GOSU_VERSION=1.11",
    "TINI_VERSION=0.18.0",
    "GPG_COUCH_KEY=8756C4F765C9AC3CB6B85D62379CE192D401AB61",
    "COUCHDB_VERSION=2.3.1"
  ],
  "Cmd": [
    "/bin/sh",
    "-c",
    "#(nop) ",
    "CMD [\"/opt/couchdb/bin/couchdb\"]"
  ],
  "ArgsEscaped": true,
  "Image": "sha256:4391d2a966ed404e8a8504123c7d5241aaf76c8c22456770b7acdb7e13c51b6e",
  "Volumes": {
    "/opt/couchdb/data": {}
  },
  "WorkingDir": "",
  "Entrypoint": [
    "tini",
    "--",
    "/docker-entrypoint.sh"
  ],
  "OnBuild": null,
  "Labels": {
    "maintainer": "CouchDB Developers dev@couchdb.apache.org"
  }
},
"DockerVersion": "18.06.1-ce",
"Author": "",
"Config": {
  "Hostname": "",
  "Domainname": "",
  "User": "",
  "AttachStdin": false,
  "AttachStdout": false,
  "AttachStderr": false,
  "ExposedPorts": {
    "4369/tcp": {},
    "5984/tcp": {},
    "9100/tcp": {}
  },
  "Tty": false,
  "OpenStdin": false,
  "StdinOnce": false,
  "Env": [
    "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
    "GOSU_VERSION=1.11",
```

```
    "TINI_VERSION=0.18.0",
    "GPG_COUCH_KEY=8756C4F765C9AC3CB6B85D62379CE192D401AB61",
    "COUCHDB_VERSION=2.3.1"
  ],
  "Cmd": [
    "/opt/couchdb/bin/couchdb"
  ],
  "ArgsEscaped": true,
  "Image": "sha256:4391d2a966ed404e8a8504123c7d5241aaf76c8c22456770b7acdb7e13c51b6e",
  "Volumes": {
    "/opt/couchdb/data": {}
  },
  "WorkingDir": "",
  "Entrypoint": [
    "tini",
    "--",
    "/docker-entrypoint.sh"
  ],
  "OnBuild": null,
  "Labels": {
    "maintainer": "CouchDB Developers dev@couchdb.apache.org"
  }
},
"Architecture": "amd64",
"Os": "linux",
"Size": 200910862,
"VirtualSize": 200910862,
"GraphDriver": {
  "Data": {
    "LowerDir": "/var/lib/docker/
overlay2/78cda72e9497f6a9d87b2753f6fa8a3f719338fb0640e57584824bf5be466286/diff:/var/lib/docker/overlay2/
cc593eb2bdde0151e6961df0ee7fcd0f9684cb86e07789f42b96295a8261d842/diff:/var/lib/docker/overlay2/
e74fc2bf9009da3f6030fcc350c0b0d7a0c809855b3db0c49c2c15beb694d8d4/diff:/var/lib/docker/
overlay2/5fe4b94ad0b7aa595796c11362b5d158bf9427120d986f7be3a63b7e90529b34/diff:/var/lib/docker/
overlay2/39f83d6e844f2ee61a48148a204f28a8a1e13038ce6b830960cc10cf478a95a9/diff:/var/lib/docker/overlay2/
d959d518b16c0f4953ff993fdf1be4d72409847382f3ba32998c5033a521fdac/diff:/var/lib/docker/
overlay2/4d240ac2575733c5a29a1e18f9df39f340889424da6fc229cdfbfd5dd1f0b8bb/diff:/var/lib/docker/
overlay2/968a53c79cac9387e4f8aeb1082b35026227669a5e2466f52d84befb6ba6e514/diff:/var/lib/docker/overlay2/
a8e1f467ea6b7d52782d440de210badde81817b3f6c1c1bae539c7af6c60ac58/diff:/var/lib/docker/
overlay2/697f3ad3c5b01efded46d9f152b4aa5c775b5efbe18dbb32596e8baac1e1fe3d/diff:/var/lib/docker/
overlay2/198121798fd116699682b2274d360bc72393f3dfffb76c1e4cc35504e776a8253/diff",
    "MergedDir": "/var/lib/docker/
overlay2/1b5990d16b0cb8d60dec065bc9b4524f94ae5a9dc25cfb2da7e1aed34d4926f6/merged",
    "UpperDir": "/var/lib/docker/
overlay2/1b5990d16b0cb8d60dec065bc9b4524f94ae5a9dc25cfb2da7e1aed34d4926f6/diff",
    "WorkDir": "/var/lib/docker/
overlay2/1b5990d16b0cb8d60dec065bc9b4524f94ae5a9dc25cfb2da7e1aed34d4926f6/work"
  },
  "Name": "overlay2"
},
"RootFS": {
  "Type": "layers",
  "Layers": [
    "sha256:8fa655db5360a336ddd0256f573e27975628668063732ef91f820d4770db737c",
    "sha256:f6913d3ab2ff23ac0400f2640e45ab3a8ca0d7389c1bf4a6acfa4a18d7ab6657",
    "sha256:2165bac80c66bc952963b4a6dacc6ccd10d2aa53b8758e8a4c10665ca960f1bb",
    "sha256:d6226142e3339223d08a77fc9411f172a13ac22aae9c5a526b04ec8f54ebcda4",
    "sha256:7cf0a43a5bfaa80e722e3a724b898383a0ab77e8c9cb104680f2008f72a6f7b6",
    "sha256:a039c1637f5d76603a73bd7d9612ec470703a01fe41bee44b8652d6e0896f360",
    "sha256:9535e2655b70748f631afb9fd6f254271ebab3c8d6fa62793a51760eab053bcc",
    "sha256:57707aa8f91bbc4621222b6a02605b38bcc1f37bed928e56c4c2a390df02dec",
    "sha256:6b7687fc2ac880448182c2e89ef14e28387b20da282910c1131379b15713fb85",
    "sha256:b58c6faa6674c8b1c7fa72a6b97f4f8b9507dca26d20382c31207f9c99012c03",
    "sha256:24c375a3e22c919944231938b197a912ce3bf31f2d3f830ece3d3f7fb9a22042",
    "sha256:5fc4fd91a99165e1be8d887fb81d3e315716b46acb89f124792136c1c7c9c9cfc"
  ]
},
}
```

```

    "Metadata": {
      "LastTagTime": "0001-01-01T00:00:00Z"
    }
  }
]
[
  {
    "Id": "sha256:e107c1233f026d0d0780eb8274a2cb6ca51f65570f5e9d6ca963a5c1f832af5c",
    "RepoTags": [
      "rabbitmq:alpine"
    ],
    "RepoDigests": [
      "rabbitmq@sha256:2c47d9f80c08bfc1da654c6824c1420a6635349d3398c4e1c073e811e874c815"
    ],
    "Parent": "",
    "Comment": "",
    "Created": "2020-01-23T01:34:13.259776187Z",
    "Container": "66fc8a22f0f33b67b9c45b608e0c8d702f5ef7ae271c6efadf823c3b909cb95c",
    "ContainerConfig": {
      "Hostname": "66fc8a22f0f3",
      "Domainname": "",
      "User": "",
      "AttachStdin": false,
      "AttachStdout": false,
      "AttachStderr": false,
      "ExposedPorts": {
        "25672/tcp": {},
        "4369/tcp": {},
        "5671/tcp": {},
        "5672/tcp": {}
      },
      "Tty": false,
      "OpenStdin": false,
      "StdinOnce": false,
      "Env": [
        "PATH=/opt/rabbitmq/sbin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "OPENSSL_VERSION=1.1.1d",
        "OPENSSL_SOURCE_SHA256=1e3a91bc1f9dfce01af26026f856e064eab4c8ee0a8f457b5ae30b40b8b711f2",
        "OPENSSL_PGP_KEY_IDS=0x8657ABB260F056B1E5190839D9C4D26D0E604491
0x5B2545DAB21995F4088CEFAA36CEE4DEB00CFE33 0xED230BEC4D4F2518B9D7DF41F0DB4D21C1D35231
0xC1F33DD8CE1D4CC613AF14DA9195C48241FBF7DD 0x7953AC1FBC3DC8B3B292393ED5E9E43F7DF9EE8C
0xE5E52560DD91C556DDBDA5D02064C53641C25E5D",
        "OTP_VERSION=22.2.3",
        "OTP_SOURCE_SHA256=8470fff519d9ffa5defba4e42c3c1e64cd86905313040246d4a6e35799a9e614",
        "RABBITMQ_DATA_DIR=/var/lib/rabbitmq",
        "RABBITMQ_VERSION=3.8.2",
        "RABBITMQ_PGP_KEY_ID=0x0A9AF2115F4687BD29803A206B73A36E6026DFCA",
        "RABBITMQ_HOME=/opt/rabbitmq",
        "RABBITMQ_LOGS=-",
        "RABBITMQ_SASL_LOGS=-",
        "HOME=/var/lib/rabbitmq",
        "LANG=C.UTF-8",
        "LANGUAGE=C.UTF-8",
        "LC_ALL=C.UTF-8"
      ],
      "Cmd": [
        "/bin/sh",
        "-c",
        "#(nop) ",
        "CMD [\"rabbitmq-server\"]"
      ],
      "ArgsEscaped": true,
      "Image": "sha256:5a026843f4a3f0b765c4687fe7a43998efb6afdf4bde46201b4a3565df1f6df9",
      "Volumes": {
        "/var/lib/rabbitmq": {}
      },
      "WorkingDir": ""
    }
  }
]

```



```

    "Entrypoint": [
      "docker-entripoint.sh"
    ],
    "OnBuild": null,
    "Labels": {}
  },
  "DockerVersion": "18.06.1-ce",
  "Author": "",
  "Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "25672/tcp": {},
      "4369/tcp": {},
      "5671/tcp": {},
      "5672/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/opt/rabbitmq/sbin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "OPENSSL_VERSION=1.1.1d",
      "OPENSSL_SOURCE_SHA256=1e3a91bc1f9dfce01af26026f856e064eab4c8ee0a8f457b5ae30b40b8b711f2",
      "OPENSSL_PGP_KEY_IDS=0x8657ABB260F056B1E5190839D9C4D26D0E604491
0x5B2545DAB21995F4088CEFAA36CEE4DEB00CFE33 0xED230BEC4D4F2518B9D7DF41F0DB4D21C1D35231
0xC1F33DD8CE1D4CC613AF14DA9195C48241FBF7DD 0x7953AC1FBC3DC8B3B292393ED5E9E43F7DF9EE8C
0xE5E52560DD91C556DDBDA5D02064C53641C25E5D",
      "OTP_VERSION=22.2.3",
      "OTP_SOURCE_SHA256=8470fff519d9ffa5defba4e42c3c1e64cd86905313040246d4a6e35799a9e614",
      "RABBITMQ_DATA_DIR=/var/lib/rabbitmq",
      "RABBITMQ_VERSION=3.8.2",
      "RABBITMQ_PGP_KEY_ID=0x0A9AF2115F4687BD29803A206B73A36E6026DFCA",
      "RABBITMQ_HOME=/opt/rabbitmq",
      "RABBITMQ_LOGS=-",
      "RABBITMQ_SASL_LOGS=-",
      "HOME=/var/lib/rabbitmq",
      "LANG=C.UTF-8",
      "LANGUAGE=C.UTF-8",
      "LC_ALL=C.UTF-8"
    ],
    "Cmd": [
      "rabbitmq-server"
    ],
    "ArgsEscaped": true,
    "Image": "sha256:5a026843f4a3f0b765c4687fe7a43998efb6afdf4bde46201b4a3565df1f6df9",
    "Volumes": {
      "/var/lib/rabbitmq": {}
    },
    "WorkingDir": "",
    "Entrypoint": [
      "docker-entripoint.sh"
    ],
    "OnBuild": null,
    "Labels": null
  },
  "Architecture": "amd64",
  "Os": "linux",
  "Size": 104400511,
  "VirtualSize": 104400511,
  "GraphDriver": {
    "Data": {
      "LowerDir": "/var/lib/docker/overlay2/

```

```

b75cab44569be07bd709b413e0fd93690b88ea51b483ca3fca5632068fa0321b/diff:/var/lib/docker/overlay2/
a358a704a9dc057aa53e649320572bdb3880b83bd0208e0576ada6622976499b/diff:/var/lib/docker/
overlay2/7860d70a6392d0f5459bdd289c41cb4491d92badc3a15616f1f77e879c9fbfcd8/diff:/var/lib/docker/
overlay2/016d65a9abe42e67a9c29842d8c803d141bea6d830f0b63b9d752dc595f571e6/diff:/var/lib/docker/overlay2/
d906b4fda970b5df3a931b22e600e25830ebf43a4917e5932ca3667a7a6714de/diff:/var/lib/docker/
overlay2/3a371c964b882fb8470abee772b2ab65c178f7d796492e4464e23781ad758e72/diff",
    "MergedDir": "/var/lib/docker/
overlay2/33a0f9f67c3a66071d505e301b86dfa49261d69918eb1f0f7c0dfdf90f0e81f7/merged",
    "UpperDir": "/var/lib/docker/
overlay2/33a0f9f67c3a66071d505e301b86dfa49261d69918eb1f0f7c0dfdf90f0e81f7/diff",
    "WorkDir": "/var/lib/docker/
overlay2/33a0f9f67c3a66071d505e301b86dfa49261d69918eb1f0f7c0dfdf90f0e81f7/work"
  },
  "Name": "overlay2"
},
"RootFS": {
  "Type": "layers",
  "Layers": [
    "sha256:5216338b40a7b96416b8b9858974bbe4acc3096ee60acbc4dfb1ee02aecceb10",
    "sha256:23ed98d8fcc983357c6220a5362d1f3fa0a00b389303c6b9f11b3854e703fa24",
    "sha256:e556b716930c06330d80c9c96b05cb878d4624299d82987d2c43084887a6af38",
    "sha256:a4b7d1f071a920a61d619358e7647a9e095f26b2a2377d806ec8060f74d42c47",
    "sha256:5de056f975c081c046d6f1169fdc8e8d5a963966ccadd38f57cceeae8063df3f",
    "sha256:7a8475b7e32d4078afb022331cda8429099f27bb02f4716d1db9d59bb8ca29dd",
    "sha256:35804c44cecc3c4e5b3a33cc9d9af533cb9cd54c5bbc9fb00fc71ce8e490fab"
  ]
},
"Metadata": {
  "LastTagTime": "0001-01-01T00:00:00Z"
}
}
]
[
{
  "Id": "sha256:67f4eb68b27cbafc7cb0119969996271ddea4c9133f66e1c984bb29fea4c64b9",
  "RepoTags": [
    "brewblox/brewblox-history:edge"
  ],
  "RepoDigests": [
    "brewblox/brewblox-
history@sha256:3c5c206c5d192ded0710a0cbbff8d6d37f4fc80d0797a1af8f8df03d39faed21"
  ],
  "Parent": "",
  "Comment": "",
  "Created": "2020-01-20T11:23:51.800520667Z",
  "Container": "e75f331a8a93475d72232dbeb260d92ee7dfab93b96931d630588ca85872441b",
  "ContainerConfig": {
    "Hostname": "e75f331a8a93",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "5000/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "LANG=C.UTF-8",
      "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
      "PYTHON_VERSION=3.7.6",
      "PYTHON_PIP_VERSION=19.3.1",
      "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/
ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",

```

```

        "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
        "SERVICE_INF0=0.9.0-57-g0ae3802 @ Mon Jan 20 11:22:56 UTC 2020"
    ],
    "Cmd": [
        "/bin/sh",
        "-c",
        "#(nop) ",
        "ENTRYPOINT [\"python3\" \"-m\" \"brewblox_history\"]"
    ],
    "Image": "sha256:e4edfd2a1de5b31d839f3d4e8ffd821c1be2b0f90dcb9edad9e3137053a58797",
    "Volumes": null,
    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_history"
    ],
    "OnBuild": null,
    "Labels": {}
},
"DockerVersion": "3.0.8",
"Author": "",
"Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
        "5000/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
        "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "LANG=C.UTF-8",
        "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
        "PYTHON_VERSION=3.7.6",
        "PYTHON_PIP_VERSION=19.3.1",
        "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/
ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",
        "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
        "SERVICE_INF0=0.9.0-57-g0ae3802 @ Mon Jan 20 11:22:56 UTC 2020"
    ],
    "Cmd": null,
    "Image": "sha256:e4edfd2a1de5b31d839f3d4e8ffd821c1be2b0f90dcb9edad9e3137053a58797",
    "Volumes": null,
    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_history"
    ],
    "OnBuild": null,
    "Labels": null
},
"Architecture": "amd64",
"Os": "linux",
"Size": 205672356,
"VirtualSize": 205672356,
"GraphDriver": {
    "Data": {
        "LowerDir": "/var/lib/docker/
overlay2/0634678d8926315baafebe64d189e50480c33f209dd42c583ca05cca172ddf23/diff:/var/lib/docker/
overlay2/9ca4b1a96bdad3191ce838b577d882461a76c4a756955f5f9cb998cc7bb52122/diff:/var/lib/docker/overlay2/

```

```
c6626395e4bf205561ecddfb1e3fa89dacd7073aab0faea4734866862c60e20e/diff:/var/lib/docker/
overlay2/3b0710a0f93630926115343439b48fc9bd9aeee0961dd72e26fdadba3658c59/diff:/var/lib/docker/overlay2/
eaf832f82c33220032e5dec8d72f01793a34b22a7c87b2eb7d068533dcd4a73f/diff:/var/lib/docker/overlay2/
b9abc52457d630d558ca9214679e69089f9a14e08c58ff2e99fe29a190567e31/diff:/var/lib/docker/overlay2/
f39bd542eccd26a576cd0622a29a01490ad46ead5df47da88659d948034731a5/diff",
  "MergedDir": "/var/lib/docker/
overlay2/07ef009837d19282b8f6e3a1b60d6863da29f41af4b2f6139fd972bb30ab99f7/merged",
  "UpperDir": "/var/lib/docker/
overlay2/07ef009837d19282b8f6e3a1b60d6863da29f41af4b2f6139fd972bb30ab99f7/diff",
  "WorkDir": "/var/lib/docker/
overlay2/07ef009837d19282b8f6e3a1b60d6863da29f41af4b2f6139fd972bb30ab99f7/work"
},
  "Name": "overlay2"
},
"RootFS": {
  "Type": "layers",
  "Layers": [
    "sha256:556c5fb0d91b726083a8ce42e2faaed99f11bc68d3f70e2c7bbce87e7e0b3e10",
    "sha256:28e260baaf1bcf13ea277e42dd45128581c59e166040d051859eafd8e4b73b53",
    "sha256:54ed0037bc4a05b88a5c06d202dd31c90c0adb6f19d60ac9907c53858863e96c",
    "sha256:639353c901e60ed53d41eeab7257290711966dc7c64a019c758f1172ed307163",
    "sha256:397cd2e1babc6707b77721694bea7a5805dd4784035e61cdc3f66951470f2bc2",
    "sha256:5bb56e5d582c7face04275ead0b2cd574a9ece16daf6e69ac8dbb17d1e1a2f28",
    "sha256:08973ad18cb63738b5048078dc84e4dd49fce21ac37a5220ee000d3ac4d4c337",
    "sha256:e78a9c0e3d4d5f012e3e2118673665117615843d5f4401ab4d5089e1011b43c0"
  ]
},
"Metadata": {
  "LastTagTime": "0001-01-01T00:00:00Z"
}
}
]
[
{
  "Id": "sha256:30239b6d566444bce9e784d219b7bcf1d5bce1afae9f2415ffce9e14cc181433",
  "RepoTags": [
    "influxdb:latest"
  ],
  "RepoDigests": [
    "influxdb@sha256:eae897c8ebf85ac3e2bdf8ba053d40a3df7598c41f4b63d42faf2603e2eef74"
  ],
  "Parent": "",
  "Comment": "",
  "Created": "2019-12-29T06:28:41.070628588Z",
  "Container": "6f1af979cd9844678feb5afdf2cb01634c715059663f2acac462d2fd2d54c8a0",
  "ContainerConfig": {
    "Hostname": "6f1af979cd98",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "8086/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "INFLUXDB_VERSION=1.7.9"
    ],
    "Cmd": [
      "/bin/sh",
      "-c",
      "#(nop) ",
      "CMD [\"influxd\"]"
    ]
  }
}
```

```

    ],
    "ArgsEscaped": true,
    "Image": "sha256:f38d251b0acc963c8b7dbdadfe61b8b51cb043dec7448033b3624e2551ffb9a9",
    "Volumes": {
      "/var/lib/influxdb": {}
    },
    "WorkingDir": "",
    "Entrypoint": [
      "/entrypoint.sh"
    ],
    "OnBuild": null,
    "Labels": {}
  },
  "DockerVersion": "18.06.1-ce",
  "Author": "",
  "Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "8086/tcp": {}
    },
    "TTY": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "INFLUXDB_VERSION=1.7.9"
    ],
    "Cmd": [
      "influxd"
    ],
    "ArgsEscaped": true,
    "Image": "sha256:f38d251b0acc963c8b7dbdadfe61b8b51cb043dec7448033b3624e2551ffb9a9",
    "Volumes": {
      "/var/lib/influxdb": {}
    },
    "WorkingDir": "",
    "Entrypoint": [
      "/entrypoint.sh"
    ],
    "OnBuild": null,
    "Labels": null
  },
  "Architecture": "amd64",
  "Os": "linux",
  "Size": 310728775,
  "VirtualSize": 310728775,
  "GraphDriver": {
    "Data": {
      "LowerDir": "/var/lib/docker/
overlay2/4a5e37d65c52f9e9d9c909e12fd1e0b389438649e572a150d83567ba1b3b39f2/diff:/var/lib/docker/overlay2/
af8a9b2e0004a048ffbea5ddc2b9bfe665d233a1b1cbd48092c1e12ef039740a/diff:/var/lib/docker/
overlay2/6964323a55b965dcb3be08161164016a451cf8a62b515ed5f504bb8217062cd1/diff:/var/lib/docker/
overlay2/0ca35724ccb25814385d499e926da96b7271b0787d94e1a8df07f9e17a66773d/diff:/var/lib/docker/
overlay2/281c9a76a6b6d354a44f6aba4bd7e04575d75cc7535f349a63be8669c7a5d136/diff:/var/lib/docker/overlay2/
e8695008aedc9888b759f01754289ded50bb0e92ba641ab91da9ce9c88352500/diff:/var/lib/docker/
overlay2/04faa0e901f0e1c8e77e0bccf1d23fa3d8d5b36e89e72082a429ba8ff04e35bc/diff",
      "MergedDir": "/var/lib/docker/overlay2/
ecef1698c8ec647e732857e0ab4f957804d87cde42520e187d30fd509687d7b7/merged",
      "UpperDir": "/var/lib/docker/overlay2/
ecef1698c8ec647e732857e0ab4f957804d87cde42520e187d30fd509687d7b7/diff",
      "WorkDir": "/var/lib/docker/overlay2/
ecef1698c8ec647e732857e0ab4f957804d87cde42520e187d30fd509687d7b7/work"
    }
  }
}

```

```

    },
    "Name": "overlay2"
  },
  "RootFS": {
    "Type": "layers",
    "Layers": [
      "sha256:ebb9ae013834b54e76c8d7dfde0ca9018f6bb3495740356a8f1dc655a8552130",
      "sha256:0ca7f54856c0baa7f6beecab94a76531965d5d9e079f2fe1761c5173f2f0d9f6",
      "sha256:1f59a4b2e20603f508265d81a77daefcb7686ed15a1bc07ba5af4d0caeb7993",
      "sha256:c051500a7684d6420561679c40d523093ee620b355e658bb5bda05dec8733245",
      "sha256:66ce63c47c8b77b81ab62724ab07c68aac1a7313902ccbb069e2befd8d69f5db",
      "sha256:9576f01ecd20f4f951d3aa95871fe669ca0a65345a24941cf7ab35caf0ae7935",
      "sha256:75d63b8946caf09c757194fb6683cbd05ec4544d21e45a1aa79cc8d47ecaf175",
      "sha256:a276b856e4253baebac5691b65133b4f7375190d89660c0b994d028ea5122704"
    ]
  },
  "Metadata": {
    "LastTagTime": "0001-01-01T00:00:00Z"
  }
}
]
[
  {
    "Id": "sha256:7bf173d4071f443b442344b9af6510c5f674aa8b96bb9ad1721fcee8eae3bd51",
    "RepoTags": [
      "brewblox/brewblox-mdns:edge"
    ],
    "RepoDigests": [
      "brewblox/brewblox-mdns@sha256:31124011d22a367373267cc568faa0ce3156b00c16d89cc8f53f1ce8aa5f057e"
    ],
    "Parent": "",
    "Comment": "",
    "Created": "2019-12-17T14:06:51.775516648Z",
    "Container": "23117545c1e827aefdee66c8c5da2f4fbd9529f91f0a955bdbbd8541fa56c272",
    "ContainerConfig": {
      "Hostname": "23117545c1e8",
      "Domainname": "",
      "User": "",
      "AttachStdin": false,
      "AttachStdout": false,
      "AttachStderr": false,
      "ExposedPorts": {
        "5000/tcp": {}
      }
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "LANG=C.UTF-8",
      "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
      "PYTHON_VERSION=3.7.5",
      "PYTHON_PIP_VERSION=19.3.1",
      "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",
      "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
      "SERVICE_INF0=0.2.1-39-g1c5f0cc @ Tue Dec 17 14:05:18 UTC 2019"
    ],
    "Cmd": [
      "/bin/sh",
      "-c",
      "#(nop) ",
      "ENTRYPOINT [\"python3\" \"-m\" \"brewblox_mdns\"]"
    ],
    "Image": "sha256:b75e01e4fb2af6a2d6e5bee43919566617af4e065dab0e6c9350bec3651e9963",
    "Volumes": null,
  }
]

```

```

    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_mdns"
    ],
    "OnBuild": null,
    "Labels": {}
},
"DockerVersion": "3.0.8",
"Author": "",
"Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
        "5000/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
        "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "LANG=C.UTF-8",
        "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
        "PYTHON_VERSION=3.7.5",
        "PYTHON_PIP_VERSION=19.3.1",
        "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/
ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",
        "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
        "SERVICE_INF0=0.2.1-39-g1c5f0cc @ Tue Dec 17 14:05:18 UTC 2019"
    ],
    "Cmd": null,
    "Image": "sha256:b75e01e4fb2af6a2d6e5bee43919566617af4e065dab0e6c9350bec3651e9963",
    "Volumes": null,
    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_mdns"
    ],
    "OnBuild": null,
    "Labels": null
},
"Architecture": "amd64",
"Os": "linux",
"Size": 216747901,
"VirtualSize": 216747901,
"GraphDriver": {
    "Data": {
        "LowerDir": "/var/lib/docker/
overlay2/0dec51dfc85a05a7c539ef370a8dc3a7002b67293b8bfab4955c0869e555d67b/diff:/var/lib/docker/overlay2/
c874cf3ab899d4ead6e9cb4cc533108af10e5e70232dd267488b59a536b7cb49/diff:/var/lib/docker/overlay2/
f017b9908bf881e0c87b3f1a0bed536d5c4d4506ecb75f15fd0b33eadfe048c2/diff:/var/lib/docker/
overlay2/768755c03c80eb4eac54a91d8da76c5623f53bb153aac2fad1e1c022a32b4e00/diff:/var/lib/docker/
overlay2/642ab003fa70e2cb4330c4b6a000ea851e4b9787932945fa9eac9bdb3eb25dba/diff:/var/lib/docker/
overlay2/32de9860ae9aa6ca7fac06f2973f3e224cd197137feccba75ddab37dad3060d/diff:/var/lib/docker/
overlay2/2242cca8e97078895a559ff3068453282f54008ed4901c8d64a7e2563ffd4c6d/diff",
        "MergedDir": "/var/lib/docker/
overlay2/64dd266db90c0d608e83180f17d3f1056417781db87e1b16680428d39d3e4a46/merged",
        "UpperDir": "/var/lib/docker/
overlay2/64dd266db90c0d608e83180f17d3f1056417781db87e1b16680428d39d3e4a46/diff",
        "WorkDir": "/var/lib/docker/
overlay2/64dd266db90c0d608e83180f17d3f1056417781db87e1b16680428d39d3e4a46/work"
    }
}

```

```

    },
    "Name": "overlay2"
  },
  "RootFS": {
    "Type": "layers",
    "Layers": [
      "sha256:831c5620387fb9efec59fc82a42b948546c6be601e3ab34a87108ecf852aa15f",
      "sha256:459d9d53a2569cce05f289f8a7b84bf14e0d160aef722169e792743130fc6c53",
      "sha256:ca56b6fe98b719be763ba1c978f2fe1a1c6b14a5d4b7c867f8e6b2fdbb5bd63e",
      "sha256:870ea4318145741ea160b4661210d101273d51c807e5a23b0a087b464438cfc9",
      "sha256:36c21e8952307685df69802fc94b1b75dbcb70a2e8465c97cb9c56a828e3615a",
      "sha256:e9d6b679ce4b6f2867882a6431f8d0f89b255e273011b7ad4165f46adee11b5c",
      "sha256:e7ee0a192c638bf3769d031977441f9987ca66886ad049305a0468920ce7486e",
      "sha256:74bdc95611068f8f57b91b46fe363282c73f4d9c9d87f43c26aba755f70efc0c"
    ]
  },
  "Metadata": {
    "LastTagTime": "0001-01-01T00:00:00Z"
  }
}
]
[
  {
    "Id": "sha256:9f3cd8eef6f3e056da1f9f63273474ede62d40b550219832b61e7fc7265fa014",
    "RepoTags": [
      "brewblox/brewblox-devcon-spark:edge"
    ],
    "RepoDigests": [
      "brewblox/brewblox-devcon-
spark@sha256:5b7b1088708dc15d2cee1599cb1ac54da6a42f5be1d4a81c57db0e30ee72f385"
    ],
    "Parent": "",
    "Comment": "",
    "Created": "2020-01-20T11:24:24.170347515Z",
    "Container": "63d045cb9b8e8da392b64c493723b67db28db1725b7a2c2fc5b87ba0e34eaa7c",
    "ContainerConfig": {
      "Hostname": "63d045cb9b8e",
      "Domainname": "",
      "User": "",
      "AttachStdin": false,
      "AttachStdout": false,
      "AttachStderr": false,
      "ExposedPorts": {
        "5000/tcp": {}
      }
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "LANG=C.UTF-8",
      "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
      "PYTHON_VERSION=3.7.6",
      "PYTHON_PIP_VERSION=19.3.1",
      "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/
ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",
      "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
      "SERVICE_INF0=0.5.2-256-g320b0f0 @ Mon Jan 20 11:23:20 UTC 2020"
    ],
    "Cmd": [
      "/bin/sh",
      "-c",
      "#(nop) ",
      "ENTRYPOINT [\"python3\\\" \\\"-m\\\" \\\"brewblox_devcon_spark\\\"]"
    ],
    "Image": "sha256:961ad17c6b3be8144407593841a45904df1c9829c830a9ef51464027cf4ab269",
    "Volumes": null,
  }
]

```



```

    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_devcon_spark"
    ],
    "OnBuild": null,
    "Labels": {}
},
"DockerVersion": "3.0.8",
"Author": "",
"Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
        "5000/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
        "PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "LANG=C.UTF-8",
        "GPG_KEY=0D96DF4D4110E5C43FBFB17F2D347EA6AA65421D",
        "PYTHON_VERSION=3.7.6",
        "PYTHON_PIP_VERSION=19.3.1",
        "PYTHON_GET_PIP_URL=https://github.com/pypa/get-pip/raw/
ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py",
        "PYTHON_GET_PIP_SHA256=b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee",
        "SERVICE_INF0=0.5.2-256-g320b0f0 @ Mon Jan 20 11:23:20 UTC 2020"
    ],
    "Cmd": null,
    "Image": "sha256:961ad17c6b3be8144407593841a45904df1c9829c830a9ef51464027cf4ab269",
    "Volumes": null,
    "WorkingDir": "/app",
    "Entrypoint": [
        "python3",
        "-m",
        "brewblox_devcon_spark"
    ],
    "OnBuild": null,
    "Labels": null
},
"Architecture": "amd64",
"Os": "linux",
"Size": 218203426,
"VirtualSize": 218203426,
"GraphDriver": {
    "Data": {
        "LowerDir": "/var/lib/docker/
overlay2/38272b49f26176173d15172c94aef05311490609ec6ba337372e7f2ef5cbd241/diff:/var/lib/docker/
overlay2/1435f621b4196e57d46c50b046e9b8e9eca662b47ec7eefc5d91b45fc3441303/diff:/var/lib/docker/
overlay2/092fa2d79c31636e03c22b2657671b3899c9f00b1e5e499febaac3f07ef9d500/diff:/var/lib/docker/
overlay2/103e5a072971f1d8cd862a64fc39f14287ed1d9993ccc07ceeeaae0ced015d47/diff:/var/lib/docker/overlay2/
c6626395e4bf205561ecddfb1e3fa89dacd7073aab0faea4734866862c60e20e/diff:/var/lib/docker/
overlay2/3b0710a0f93630926115343439b48fc9bd9aeee0961dd72e26fdadbf3658c59/diff:/var/lib/docker/overlay2/
eaf832f82c33220032e5dec8d72f01793a34b22a7c87b2eb7d068533dcd4a73f/diff:/var/lib/docker/overlay2/
b9abc52457d630d558ca9214679e69089f9a14e08c58ff2e99fe29a190567e31/diff:/var/lib/docker/overlay2/
f39bd542eccd26a576cd0622a29a01490ad46ead5df47da88659d948034731a5/diff",
        "MergedDir": "/var/lib/docker/
overlay2/66ee87242e342c120d3a7ccf499a0756d019380354f4c326b12812ba8aed8399/merged",
        "UpperDir": "/var/lib/docker/
overlay2/66ee87242e342c120d3a7ccf499a0756d019380354f4c326b12812ba8aed8399/diff",

```

```

        "WorkDir": "/var/lib/docker/
overlay2/66ee87242e342c120d3a7ccf499a0756d019380354f4c326b12812ba8aed8399/work"
    },
    "Name": "overlay2"
},
"RootFS": {
  "Type": "layers",
  "Layers": [
    "sha256:556c5fb0d91b726083a8ce42e2faaed99f11bc68d3f70e2c7bbce87e7e0b3e10",
    "sha256:28e260baaf1bcf13ea277e42dd45128581c59e166040d051859eafd8e4b73b53",
    "sha256:54ed0037bc4a05b88a5c06d202dd31c90c0adb6f19d60ac9907c53858863e96c",
    "sha256:639353c901e60ed53d41eeab7257290711966dc7c64a019c758f1172ed307163",
    "sha256:397cd2e1babc6707b77721694bea7a5805dd4784035e61cdc3f66951470f2bc2",
    "sha256:c76814c60c75fd9923cda0e6714dbdb6b3803a0684ebd864b7d318f2edd1a667",
    "sha256:fef3eca5b4eb4582bbb4be93b8b6bdf70ffebff27708991dc4c71f579f55d3ae",
    "sha256:469fc21e097c27a36986474d4797cb63f21242c51a2ddb64385fba3d6332d0f6",
    "sha256:4a57d58b4dc76c77dac2ad96a2666954b6937868c29fa261668db9dbe85518ae",
    "sha256:147f7a152dae77299b01172aa9c7607d96a1e48cd342c3f7555b57aee0f62f4d"
  ]
},
"Metadata": {
  "LastTagTime": "0001-01-01T00:00:00Z"
}
}
]
[
{
  "Id": "sha256:96c63a7d3e502fcbbd8937a2523368c22d0edd1788b8389af095f64038318834",
  "RepoTags": [
    "traefik:v1.7"
  ],
  "RepoDigests": [
    "traefik@sha256:5ec34caf19d114f8f0ed76f9bc3dad6ba8cf6d13a1575c4294b59b77709def39"
  ],
  "Parent": "",
  "Comment": "",
  "Created": "2019-12-10T22:31:39.159095069Z",
  "Container": "af718c90b26ffd66d181cd6cac66b9ec1d6d8f414271059314ec5398a164b603",
  "ContainerConfig": {
    "Hostname": "af718c90b26f",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "80/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin"
    ],
    "Cmd": [
      "/bin/sh",
      "-c",
      "#(nop) ",
      "LABEL org.opencontainers.image.vendor=Containous org.opencontainers.image.url=https://traefik.io org.opencontainers.image.title=Traefik org.opencontainers.image.description=A modern reverse-proxy org.opencontainers.image.version=v1.7.20 org.opencontainers.image.documentation=https://docs.traefik.io"
    ],
    "Image": "sha256:3d26f321b11905b7298dd45d9c346b94ba94a6c66ee42a2d8fc55966b6d66cdf",
    "Volumes": {
      "/tmp": {}
    }
  },
}
]

```

```

    "WorkingDir": "",
    "Entrypoint": [
      "/traefik"
    ],
    "OnBuild": null,
    "Labels": {
      "org.opencontainers.image.description": "A modern reverse-proxy",
      "org.opencontainers.image.documentation": "https://docs.traefik.io",
      "org.opencontainers.image.title": "Traefik",
      "org.opencontainers.image.url": "https://traefik.io",
      "org.opencontainers.image.vendor": "Containous",
      "org.opencontainers.image.version": "v1.7.20"
    }
  },
  "DockerVersion": "18.06.1-ce",
  "Author": "",
  "Config": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "80/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin"
    ],
    "Cmd": null,
    "Image": "sha256:3d26f321b11905b7298dd45d9c346b94ba94a6c66ee42a2d8fc55966b6d66cdf",
    "Volumes": {
      "/tmp": {}
    },
    "WorkingDir": "",
    "Entrypoint": [
      "/traefik"
    ],
    "OnBuild": null,
    "Labels": {
      "org.opencontainers.image.description": "A modern reverse-proxy",
      "org.opencontainers.image.documentation": "https://docs.traefik.io",
      "org.opencontainers.image.title": "Traefik",
      "org.opencontainers.image.url": "https://traefik.io",
      "org.opencontainers.image.vendor": "Containous",
      "org.opencontainers.image.version": "v1.7.20"
    }
  },
  "Architecture": "amd64",
  "Os": "linux",
  "Size": 85706953,
  "VirtualSize": 85706953,
  "GraphDriver": {
    "Data": {
      "LowerDir": "/var/lib/docker/overlay2/
a66274609d62d03716dedc57dbc9460ef8ba7f99cd71b923a34ae151576b217/diff:/var/lib/docker/
overlay2/4ec4adfbf3e55eaa32051cb1d51674692e6d9aef55b79c9f0f788ff4d4fad3b3/diff",
      "MergedDir": "/var/lib/docker/
overlay2/9ff78afca731a1b33b912dab0535be6392e033bf56200f94efa8eb9e687ad7ac/merged",
      "UpperDir": "/var/lib/docker/
overlay2/9ff78afca731a1b33b912dab0535be6392e033bf56200f94efa8eb9e687ad7ac/diff",
      "WorkDir": "/var/lib/docker/
overlay2/9ff78afca731a1b33b912dab0535be6392e033bf56200f94efa8eb9e687ad7ac/work"
    }
  },

```

```

    "Name": "overlay2"
  },
  "RootFS": {
    "Type": "layers",
    "Layers": [
      "sha256:88b92e4e5fea6c89fa0f2a9ab2cb097deb6cc6be062223a230116e2331af2dba",
      "sha256:fe0f4f7dc36ae9ab8737d1da5b639b096280331787116a7cb3f8c00aa51d1940",
      "sha256:51ad26f9d533ad2f771b9a9cd581708497e9b43c1ec51774e0f479da296f55c6"
    ]
  },
  "Metadata": {
    "LastTagTime": "0001-01-01T00:00:00Z"
  }
}
]
[
{
  "Id": "sha256:3a5c6ff77ff252598b67d029d54a05a843e755b3c6ca4199f8f49076d39b7dc8",
  "RepoTags": [
    "brewblox/brewblox-ui:edge"
  ],
  "RepoDigests": [
    "brewblox/brewblox-ui@sha256:e5481c261d824a644e7d31f707987bf341d5dacaafc944bb1e4761ae808a76b3"
  ],
  "Parent": "",
  "Comment": "",
  "Created": "2020-01-20T11:24:15.000204366Z",
  "Container": "",
  "ContainerConfig": {
    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
      "80/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
      "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
      "NGINX_VERSION=1.17.7",
      "NJS_VERSION=0.3.7",
      "PKG_RELEASE=1~buster"
    ],
    "Cmd": [
      "/bin/sh",
      "-c",
      "#(nop) COPY file:aecf183c7d36bbcfbc12c475b31de8c71e7e666e97f2cf301678fa17029d3e9 in /etc/nginx/conf.d/"
    ],
    "ArgsEscaped": true,
    "Image": "sha256:eabb02a3627b555d2108035b1aaf4d9f115463f22b3aaede625e29564b2f2314",
    "Volumes": null,
    "WorkingDir": "",
    "Entrypoint": null,
    "OnBuild": null,
    "Labels": {
      "maintainer": "NGINX Docker Maintainers <docker-maint@nginx.com>"
    },
    "StopSignal": "SIGTERM"
  },
  "DockerVersion": "3.0.8",
  "Author": "",
  "Config": {

```

```

    "Hostname": "",
    "Domainname": "",
    "User": "",
    "AttachStdin": false,
    "AttachStdout": false,
    "AttachStderr": false,
    "ExposedPorts": {
        "80/tcp": {}
    },
    "Tty": false,
    "OpenStdin": false,
    "StdinOnce": false,
    "Env": [
        "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "NGINX_VERSION=1.17.7",
        "NJS_VERSION=0.3.7",
        "PKG_RELEASE=1~buster"
    ],
    "Cmd": [
        "nginx",
        "-g",
        "daemon off;"
    ],
    "ArgsEscaped": true,
    "Image": "sha256:eabb02a3627b555d2108035b1aaf4d9f115463f22b3aaede625e29564b2f2314",
    "Volumes": null,
    "WorkingDir": "",
    "Entrypoint": null,
    "OnBuild": null,
    "Labels": {
        "maintainer": "NGINX Docker Maintainers <docker-maint@nginx.com>"
    },
    "StopSignal": "SIGTERM"
},
"Architecture": "amd64",
"Os": "linux",
"Size": 132206547,
"VirtualSize": 132206547,
"GraphDriver": {
    "Data": {
        "LowerDir": "/var/lib/docker/overlay2/
d9c526c661d041f72a69a47c033c02f15a73d70df2c5c20afc82f8db314d5f0c/diff:/var/lib/docker/
overlay2/3200522cb8bf2ccf78e2fb2fdf8dbfd09925b4f0acea4aed552adf34fcf07225/diff:/var/lib/docker/
overlay2/41fd7d7fd608775ea20edcfc6b4fa39c5180bcd0e0877c8fbb9ba3b230606342/diff:/var/lib/docker/overlay2/
f39bd542eccd26a576cd0622a29a01490ad46ead5df47da88659d948034731a5/diff",
        "MergedDir": "/var/lib/docker/overlay2/
aa1d0f1447feb841d5a9f91435c46b35716e78fa24541e2dcb48673d4e010786/merged",
        "UpperDir": "/var/lib/docker/overlay2/
aa1d0f1447feb841d5a9f91435c46b35716e78fa24541e2dcb48673d4e010786/diff",
        "WorkDir": "/var/lib/docker/overlay2/
aa1d0f1447feb841d5a9f91435c46b35716e78fa24541e2dcb48673d4e010786/work"
    },
    "Name": "overlay2"
},
"RootFS": {
    "Type": "layers",
    "Layers": [
        "sha256:556c5fb0d91b726083a8ce42e2faaed99f11bc68d3f70e2c7bbce87e7e0b3e10",
        "sha256:17fde96446df522024d524f1f0f4b2a947da49ce81d7130bf7a192b3f7134399",
        "sha256:c26e88311e714ca60aaee6cda546d71b1e0937c0e5c3f29e21082bcffeea87b4",
        "sha256:0b114e009ea6d74436a4536f62a475215a6515e100d8b42d6715fcf15903541e",
        "sha256:7b96100351ba89c94aefe9132e3e351d4114491c5afad275caf0775726349f35"
    ]
},
"Metadata": {
    "LastTagTime": "0001-01-01T00:00:00Z"
}

```

] }